

**WARNING**  
KEEP OUT OF REACH OF CHILDREN  
ECOTOXIC



# Ultrazine 900

**HERBICIDE**

ACTIVE INGREDIENT:  
contains **900 g/ kg atrazine**  
in the form of a water dispersible granule

A residual herbicide for the control of  
certain broadleaf weeds in maize,  
sweetcorn, linseed and established lucerne.

**Net contents: 10 kg**



**Ultrazine 900**  
**HERBICIDE**



W480 mm x H630 mm

Ultrazine 900 10KG

|     |      |       |       |       |
|-----|------|-------|-------|-------|
| C O | C O  | C 6 3 | C 5 9 | C O   |
| M O | M O  | M O   | M O   | M 8 9 |
| Y O | Y O  | Y 5   | Y100  | Y 8 5 |
| K80 | K100 | K O   | K O   | K O   |

Read label completely before opening and using

HAZARD CLASSIFICATIONS

Acute oral toxicity Category 4, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



TOXICITY

Harmful if swallowed. May cause organ damage from repeated oral exposure at high doses.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Very toxic to the soil environment. Harmful to terrestrial vertebrates.

Toxic to plants. Handle and apply with care, spray drift may cause severe damage to other desirable plants. Do not apply directly into or onto water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

**QUALIFIED HANDLER** This product must be under the personal control of a suitably qualified handler when mixed, loaded or applied.

**RECORD KEEPING** If 3 kg or more is applied within 24 hours, in places where the product is likely to enter air or water and leave the application area, a written record is to be kept for each application.

HANDLING PRECAUTIONS

**PERSONAL PROTECTION** Avoid contact with skin or eyes and inhalation of dust or spray mist. When mixing or loading wear overalls, impervious gloves and eye/face protection. Wash hands and exposed skin before rest breaks and after work. Do not eat, drink or smoke while using. Wash contaminated protective clothing and equipment before re-use.

**STORAGE** Store in original container tightly closed and in a secure dry, cool, well-ventilated area, away from feed, foodstuffs, fertiliser and seeds.

Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing more than 100 kg are subject to requirements for signage, secondary containment and emergency response plans.

When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact the proprietor for further information about the use of this product if it is older than this.

**SPILLAGE AND DISPOSAL** Avoid contamination of any water supply with product or empty container. When dealing with spills wear personal protective clothing and equipment. Contain and collect spilled product and store in properly labelled, sealed drums for safe disposal. If spray mixture is spilled, absorb and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

**Product disposal** Dispose of product only by using according to the label, or at an appropriate landfill. Do NOT dispose of this product, spray mix or equipment cleaning water down drains or sewers.

**Container disposal** Ensure packaging is empty. Triple rinse empty HDPE container and add rinsate to spray tank. Recycle empty rinsed container if possible. Otherwise crush and bury empty bags/container in a suitable landfill.

FIRST AID

For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor. If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if person feels unwell. If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. If skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and running water. If skin irritation occurs, get medical attention. If inhaled, immediately move to fresh air and rest. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth and get medical assistance.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

Resistant Weeds Warning

|       |   |           |
|-------|---|-----------|
| GROUP | 5 | HERBICIDE |
|-------|---|-----------|

**Ultrazine 900** is a from the triazine chemical group with the inhibition of photosynthesis at photosystem II mode of action. Naturally occurring biotypes resistant to atrazine and other triazines are known to exist. These become more prevalent after many years of continuous use of the product. Species with known resistant biotypes include fathen and willow weed. To prevent or delay the development of resistant weeds use **Ultrazine 900** in tank mixes where appropriate, and/or in rotations with herbicides having a different mode of action (e.g. Rainvel) against the weed. Consult [www.resistance.nzpps.org/](http://www.resistance.nzpps.org/) for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10226

See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.

Approval pursuant to the HSNO Act 1996, Approval Code HSR000465

See [www.epa.govt.nz](http://www.epa.govt.nz) for approval controls.



**Registrant:** AgStar New Zealand Pty Ltd  
4 Putakitaki Street, Lincoln, 7608

**Distributed by:** Farmlands Co-operative Society Limited  
535 Wairakei Road, Burnside, Christchurch 8053  
TEL: 0800 200 600

Batch No.:

Date of Manufacture:

For more information, find us at [www.agstar.co.nz](http://www.agstar.co.nz)



UN3077

ENVIRONMENTALLY HAZARDOUS

SUBSTANCE SOLID

N.O.S. ( ATRAZINE 90% )

PACKAGING GROUP III

HAZ CODE:22

APPLY LEAFLET HERE

24 HOUR  
EMERGENCY CONTACT  
**CALL 0800 243 622**

NATIONAL POISONS CENTRE  
**CALL 0800 POISON**  
**(0800 764 766)**

IN A TRANSPORT EMERGENCY  
**CALL 111**  
POLICE OR FIRE BRIGADE

AgSta

Ultrazine 900  
HERBICIDE