W185mm x H210mm 正面标贴
Topick Brushkiller 20L

WARNING
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC

AgSta

Topick Brushkiller

HERBICIDE

ACTIVE INGREDIENT

100 g/litre picloram

as the amine salt and **300 g/litre triclopyr** as the butoxyethyl ester in the form of an emulsifiable concentrate.

For the control of gorse, broom, blackberry and other brushweeds, and for the spot treatment of many broadleaf weeds including ragwort, thistles and docks. Also effective for release spraying in radiata pine, and broadleaf weed control in turf.

Net contents: 20 L

9 421908 762042 >

AGRECOVERY

PEEL HERE

READ THE LABEL COMPLETELY BEFORE OPENING

HAZARD CLASSIFICATIONS
Flammable liquid Category 4, Acute oral toxicity Category 4, Acute inhalation toxicity Category 4, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



COMBUSTIBLE LIQUID
Keep away from heat/open flames/hot surfaces. No smoking.

TOXICITY
WARNING- Harmful if swallowed or inhaled. Causes serious eye irritation. May cause an allergic skin reaction. May cause organ damage from repeated oral exposure at high doses.

ECOTOXICITY
Very toxic to aquatic life and with long-lasting effects. Very toxic to soil organisms. Harmful to terrestrial vertebrates. Do not apply directly onto or into water. Avoid contamination of any water supply with product or empty container especially when treating brushweeds along the banks of waterways. Applications to drains, ditches and irrigation channels must only be made when these waterways are dry.

SELECTIVE HERBICIDE – VERY TOXIC TO SOME PLANT SPECIES. Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow drift to occur outside the treated area.

QUALIFIED HANDLER:
This product must be under the control of a suitably qualified handler.

This product must not be used for any purpose or in any manner contrary to this label unless authorised under appropriate legislation

RECORD KEEPING: If 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

PRECAUTIONS
Keep out of reach of children. Read label before use.

PERSONAL PROTECTION
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes, ingestion and inhalation of spray mist.

When handling wear eye protection, waterproof gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Clean all protective clothing and equipment after use.

STORAGE
Do not store or allow to come into contact with ignition sources or class 1, 2, 3.2, 4 or 5 substances. Store in the original container in a secure, well-ventilated dry, cool area away from foodstuffs, fertilisers and seeds. Avoid storage at temperatures below 5°C and above 35°C Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing more than 100 litres require secondary containment, signage and emergency response plan. If storing more than 500 L, two fire extinguishers are required.

SHELF LIFE: When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

EQUIPMENT
Apply using well maintained and accurately calibrated equipment. Do not use strainers finer than 300 micrometres. Clean equipment thoroughly after use with clean water. Do not use equipment which has applied Topick Brushkiller for applying other materials to desirable plants unless it has been thoroughly decontaminated using procedures recommended for phenoxy herbicides

SPILLAGE
Collect spill. Extinguish any ignition sources. Exclude non-essential people from the area. Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste container. Wash area with water and absorb with further inert material. Dispose of waste safely in a suitable landfill.

In case of fire, stop leak if safe to do so. Use water spray, foam, CO2 to extinguish.

DISPOSAL
Avoid contamination of any water supply with chemical or empty container.

Container disposal: Triple rinse empty container and add rinsate to the spray tank. Recycle clean empty container at approved agrichemical recycling facility if available. Otherwise, crush and bury in an approved landfill. Do NOT burn. Do NOT use container for any other purpose.

Product disposal: Use according to the label or at an appropriate hazardous waste facility or landfill.

FIRST AID
For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand. If swallowed, do NOT induce vomiting. Call the Poisons Centre or a doctor if you feel unwell. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention. If on skin, remove contaminated clothing. Flush skin and hair with water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice if you feel unwell.

RESISTANCE MANAGEMENT

GROUP	4	HERBICIDE

Topick Brushkiller is a pyridine carboxylic-acid herbicide (Group 4). Some naturally occurring weeds may become resistant when excessive use of the same herbicide occurs. To maximise the effectiveness of herbicides, products containing alternate modes of action should be used in the spray program. Consult http://resistance.nzpps.org for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

CONDITIONS OF SUPPLY
READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10430
See www.foodsafety.govt.nz for registration conditions.
Approved under the HSNO Act 1996, HSR000553
See www.epa.govt.nz for approval controls.

24 HOUR EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
CALL 0800 POISON (0800 764 766)

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.
Date of Manufacture.
For more information, find us at www.agstar.co.nz

READ THE LABEL COMPLETELY BEFORE OPENING

HAZARD CLASSIFICATIONS
Flammable liquid Category 4, Acute oral toxicity Category 4, Acute inhalation toxicity Category 4, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



COMBUSTIBLE LIQUID
Keep away from heat/open flames/hot surfaces. No smoking.

TOXICITY
WARNING- Harmful if swallowed or inhaled. Causes serious eye irritation. May cause an allergic skin reaction. May cause organ damage from repeated oral exposure at high doses.

ECOTOXICITY
Very toxic to aquatic life and with long-lasting effects. Very toxic to soil organisms. Harmful to terrestrial vertebrates. Do not apply directly onto or into water. Avoid contamination of any water supply with product or empty container especially when treating brushweeds along the banks of waterways. Applications to drains, ditches and irrigation channels must only be made when these waterways are dry.

SELECTIVE HERBICIDE – VERY TOXIC TO SOME PLANT SPECIES. Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow drift to occur outside the treated area.

QUALIFIED HANDLER:
This product must be under the control of a suitably qualified handler.

This product must not be used for any purpose or in any manner contrary to this label unless authorised under appropriate legislation

RECORD KEEPING: If 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

PRECAUTIONS
Keep out of reach of children. Read label before use.

PERSONAL PROTECTION
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes, ingestion and inhalation of spray mist.
When handling wear eye protection, waterproof gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Clean all protective clothing and equipment after use.

STORAGE
Do not store or allow to come into contact with ignition sources or class 1, 2, 3.2, 4 or 5 substances. Store in the original container in a secure, well-ventilated dry, cool area away from foodstuffs, fertilisers and seeds. Avoid storage at temperatures below 5°C and above 35°C Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing more than 100 litres require secondary containment, signage and emergency response plan. If storing more than 500 L, two fire extinguishers are required.

SHELF LIFE: When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

EQUIPMENT
Apply using well maintained and accurately calibrated equipment. Do not use strainers finer than 300 micrometres. Clean equipment thoroughly after use with clean water. Do not use equipment which has applied Topick Brushkiller for applying other materials to desirable plants unless it has been thoroughly decontaminated using procedures recommended for phenoxy herbicides

SPILLAGE
Collect spill. Extinguish any ignition sources. Exclude non-essential people from the area. Wear appropriate protective clothing and prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste container. Wash area with water and absorb with further inert material. Dispose of waste safely in a suitable landfill.

In case of fire, stop leak if safe to do so. Use water spray, foam, CO2 to extinguish.

DISPOSAL
Avoid contamination of any water supply with chemical or empty container.

Container disposal: Triple rinse empty container and add rinsate to the spray tank.
Recycle clean empty container at approved agrichemical recycling facility if available. Otherwise, crush and bury in an approved landfill. Do NOT burn. Do NOT use container for any other purpose.

Product disposal: Use according to the label or at an appropriate hazardous waste facility or landfill.

FIRST AID
For advice call the National Poisons Centre 0800 POISON (0800 764 766) (24 hours) or a doctor. If medical advice is needed have product container or label to hand. If swallowed, do NOT induce vomiting. Call the Poisons Centre or a doctor if you feel unwell. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical advice/attention. If on skin, remove contaminated clothing. Flush skin and hair with water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice if you feel unwell.

RESISTANCE MANAGEMENT

GROUP	4	HERBICIDE

Topick Brushkiller is a pyridine carboxylic-acid herbicide (Group 4). Some naturally occurring weeds may become resistant when excessive use of the same herbicide occurs. To maximise the effectiveness of herbicides, products containing alternate modes of action should be used in the spray program. Consult http://resistance.nzpps.org for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

CONDITIONS OF SUPPLY
READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10430
See www.foodsafety.govt.nz for registration conditions.
Approved under the HSNO Act 1996, HSR000553
See www.epa.govt.nz for approval controls.

24 HOUR EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
CALL 0800 POISON (0800 764 766)

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: **AgStar New Zealand Pty Ltd**
4 Putakitaki Street, Lincoln, 7608
Distributed by: **Farmlands Co-operative Society Limited**
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.
Date of Manufacture.
For more information, find us at www.agstar.co.nz