

W185mm x H210mm 正面标贴
ACCESS 840 20L



WARNING
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC

AgSta 

ACCESS 840

HERBICIDE

ACTIVE INGREDIENT

840 g/litre acetochlor

in the form of an emulsifiable concentrate.


Also contains

108 g/L of 2,2-dichloro-N,N-di-2-propenylacetamide

as a herbicide safener.

For the selective pre-emergence control of
annual grasses and many broadleaf weeds in
Grain and Silage Maize and Sweetcorn.

Net contents: 20 L



9 421038 711248 >



READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

HAZARD CLASSIFICATIONS

Acute oral toxicity Category 4, Acute inhalation toxicity Category 4, Skin irritation Category 2, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



TOXICITY

WARNING - Harmful if swallowed or inhaled. Causes eye and skin irritation. May cause sensitisation from prolonged skin contact. May cause kidney damage from prolonged or repeated exposure.

ECOTOXICITY

Very toxic to aquatic organisms and with long-lasting effects, and to some plant species. Harmful to terrestrial vertebrates.

Do not apply directly into or onto water. Take all reasonable steps to ensure that Access 840 does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER This product must be under the control of an appropriately qualified handler during mixing, loading and application.

RECORD KEEPING If 3 kg or more is applied within 24 hours in a place where Access 840 is likely to enter air or water and leave the application area, the person in control must ensure that a written record is kept for each application.

HANDLING PRECAUTIONS

PERSONAL PROTECTION Avoid contact with eyes and skin. Avoid inhalation of vapour or spray mist. When mixing or applying, wear overalls, chemical resistant boots and gloves, eye protection and respirator (organic vapour and particulate matter). Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE Keep out of reach of children. Store in the original, tightly closed container, in a cool, dry and secure place away from feed or foodstuffs. Avoid temperatures below 5°C and above 35°C. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing 100 L or more require secondary containment, signage and an emergency response plan.

USE Apply with well-maintained and calibrated spray equipment.

SPILLAGE AND DISPOSAL Do not contaminate aquatic environments with product, spray drift or empty container. In event of spillage, wear protective clothing and collect spill and contaminated material into labelled container than can be sealed.

Product Disposal Dispose of this product only by using in accordance with this label, or at an approved landfill.

Container Disposal Triple rinse container and add rinsate to the spray tank. Dispose of container to an approved landfill or agricultural recycling scheme. Do not burn. Do not use container for any other purpose.

FIRST AID

Call the National Poisons Centre 0800 POISON (0800 764 766) (24 hrs) or a doctor for advice. Have product label or container at hand.

If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if you feel unwell.

If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.

If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. If skin irritation or rash occurs, get medical advice.

If inhaled, immediately move to fresh air and keep at rest. Maintain half upright position if breathing is difficult.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

TRANSPORT

Do not carry on a passenger services vehicle.

RESISTANCE MANAGEMENT

GROUP	15	HERBICIDE
-------	----	-----------

Access 840 contains acetochlor, a Group 15 herbicide belonging to the alpha-chloroacetamide chemical family. Resistance to this and other chloroacetamide or oxyacetamide herbicides could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions and rotate use with herbicides with a different mode of action. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on this label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10214

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000404.

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz

PEEL
HERE

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

HAZARD CLASSIFICATIONS

Acute oral toxicity Category 4, Acute inhalation toxicity Category 4, Skin irritation Category 2, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated) Category 2, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



TOXICITY

WARNING - Harmful if swallowed or inhaled. Causes eye and skin irritation. May cause sensitisation from prolonged skin contact. May cause kidney damage from prolonged or repeated exposure.

ECOTOXICITY

Very toxic to aquatic organisms and with long-lasting effects, and to some plant species. Harmful to terrestrial vertebrates.
Do not apply directly into or onto water. Take all reasonable steps to ensure that Access 840 does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER This product must be under the control of an appropriately qualified handler during mixing, loading and application.

RECORD KEEPING If 3 kg or more is applied within 24 hours in a place where Access 840 is likely to enter air or water and leave the application area, the person in control must ensure that a written record is kept for each application.

HANDLING PRECAUTIONS

PERSONAL PROTECTION Avoid contact with eyes and skin. Avoid inhalation of vapour or spray mist. When mixing or applying, wear overalls, chemical resistant boots and gloves, eye protection and respirator (organic vapour and particulate matter). Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

STORAGE Keep out of reach of children. Store in the original, tightly closed container, in a cool, dry and secure place away from feed or foodstuffs. Avoid temperatures below 5°C and above 35°C. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing 100 L or more require secondary containment, signage and an emergency response plan.

USE Apply with well-maintained and calibrated spray equipment.

SPILLAGE AND DISPOSAL Do not contaminate aquatic environments with product, spray drift or empty container. In event of spillage, wear protective clothing and collect spill and contaminated material into labelled container than can be sealed.

Product Disposal Dispose of this product only by using in accordance with this label, or at an approved landfill.

Container Disposal Triple rinse container and add rinsate to the spray tank. Dispose of container to an approved landfill or agricultural recycling scheme. Do not burn. Do not use container for any other purpose.

FIRST AID

Call the National Poisons Centre 0800 POISON (0800 764 766) (24 hrs) or a doctor for advice. Have product label or container at hand.

If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if you feel unwell.

If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.

If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. If skin irritation or rash occurs, get medical advice.

If inhaled, immediately move to fresh air and keep at rest. Maintain half upright position if breathing is difficult.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

TRANSPORT

Do not carry on a passenger services vehicle.

RESISTANCE MANAGEMENT

GROUP	15	HERBICIDE
-------	----	-----------

Access 840 contains acetochlor, a Group 15 herbicide belonging to the alpha-chloroacetamide chemical family. Resistance to this and other chloroacetamide or oxyacetamide herbicides could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions and rotate use with herbicides with a different mode of action. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on this label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10214

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000404.

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz