

WARNING
Keep out of reach of children
ECOTOXIC

Turbostar 250

FUNGICIDE

ACTIVE INGREDIENT:

Contains: 250 g/kg tebuconazole in the form of a water dispersible granule.

Systemic fungicide for the control of brown rot in summerfruit

Registered pursuant to the ACVM Act 1997, No. P10324.

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR007887.

See www.epa.govt.nz for approval controls.

IN A TRANSPORT EMERGENCY: CALL 111, POLICE OR FIRE BRIGADE

AgSta  [®]



Read label completely before opening and using

DIRECTIONS FOR USE

It is an offence to use this product on animals.

MIXING: Add water to spray tank. Add required quantity of **Turbostar 250** to the spray tank with agitators running.

USE RATE RECOMMENDATION

Crop	Disease	Product Rates	Comments
Summerfruit	Brown rot	40 g/100 litres.	Apply in a regular blossom programme from pink to shuck fall inclusive. Thereafter apply alternative non-DMI fungicides through until harvest; or Apply 2 – 3 sprays 7 – 10 day intervals in the period prior to harvest. When used pre-harvest use alternative non-DMI fungicides earlier in the season.

The rates suggested are for high volume spraying to the point of run-off. For concentrate spraying adjust dilution rates accordingly.

Apply a maximum of 3 applications, preferably with non-DMI fungicides over the pink to shuck fall period, or alternatively over the pre-harvest period. Apply alternative non-DMI fungicides at other times.

COMPATIBILITY

Turbostar 250 is compatible with commonly-used insecticides and fungicides. Do not use with alkaline material such as Bordeaux mixture and lime Sulphur.

RESISTANCE MANAGEMENT

GROUP	3	FUNGICIDE
-------	----------	-----------

Turbostar 250 contains tebuconazole from the demethylation Inhibitor (DMI) mode of action (Group 3). Resistance to this fungicide and related DMI products could develop in some disease situations from repeated use. To minimize this

risk, use strictly in accordance with label instructions. Refer to the NZPPS website (<http://resistance.nzpps.org/>) for any additional information.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD

Summerfruit: 1 day

CONDITIONS OF SALE

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.



Registrant: AgStar New Zealand Pty Ltd

4 Putakitaki Street, Lincoln, 7608

www.agstar.co.nz

Distributed by: Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

®AgStar is a Registered Trademark of Agstar New Zealand Pty Ltd