

WARNING
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC

ACCESS 840

HERBICIDE

ACTIVE INGREDIENT:

840 G/LITRE ACETOCHLOR IN THE FORM OF AN EMULSIFIABLE CONCENTRATE.

ALSO CONTAINS 108 G/L OF 2,2-DICHLORO-N,N-DI-2-PROPENYLACETAMIDE AS A HERBICIDE SAFENER.

For the selective pre-emergence control of annual grasses and many broadleaf weeds in Grain and Silage Maize and Sweetcorn.

Registered pursuant to the ACVM Act 1997, No. P10214

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000404.

See www.epa.govt.nz for approval controls.

IN A TRANSPORT EMERGENCY: CALL 111, POLICE OR FIRE BRIGADE



READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

GENERAL INFORMATION

Access 840 is a selective pre-emergence herbicide for the control of annual grasses and many broadleaf weeds in grain and silage maize and sweetcorn. **Access 840** is absorbed by the shoots and roots of weeds and kills them as they germinate.

Weeds controlled: Commonly occurring annual grass weeds including; summer grass, barnyard grass, bristle grass, green bristle grass, rough bristle grass, seedling Johnson grass, smooth witch grass, witch grass. Broadleaf weeds include; amaranthus spp, black nightshade, chickweed, redroot, Scotch thistle, seedling dock, Shepherd's purse, stinking mayweed, twin cress. The following weeds are only moderately susceptible: Cornbind, fathen, fi eld pansy, fumitory, spurrey, wild radish, willow weed, wireweed.

DIRECTIONS FOR USE

IT IS AN OFFENCE FOR USERS OF THIS PRODUCT TO CAUSE RESIDUES EXCEEDING THE RELEVANT MRL IN THE FOOD NOTICE: MAXIMUM RESIDUE LEVELS FOR AGRICULTURAL COMPOUNDS.

GRAIN AND SILAGE MAIZE AND SWEETCORN

Rate and Timing of Application: 2.5 – 3.0 litres in at least 200 litres of water per hectare to a freshly prepared seedbed immediately after planting and before crop emergence. Use the higher rate in clay soils and those with higher organic matter. If desired, Atrazine may be added to the tank mix to improve the spectrum of activity. Alternatively, Atrazine or Dicamba may be applied as follow-up post emergence treatment.

MIXING: To ensure mixing pour the correct amount into the partly filled tank and add the remainder of the water while agitating. Agitate thoroughly before and during spraying and before spraying after a stoppage.

COMPATIBILITY: Compatible with Atrazine.

SOIL CONDITIONS/RAINFALL: Best results will be obtained when application is made to a freshly prepared, fine, moist soil, free of trash, with at least 10 mm of rain within 1 week of application. Under drier soil conditions, 30 mm of rain within 2 – 3 weeks is necessary. Application by pre-plant incorporation may be beneficial under very dry conditions.

SOIL RESIDUES: Under normal use, soil residues should not carry over to successive crops. In a replant situation when the previous treated crop may have failed for whatever reason, get technical advice before replanting. If establishing pasture in peat soils, cultivate soil before sowing if **Access 840** has been applied to the previous crop.

RE-ENTRY PERIOD: When fully dry.

RESISTANCE MANAGEMENT

GROUP	15	HERBICIDE
-------	----	-----------

Access 840 contains acetochlor, a Group 15 herbicide belonging to the alpha-chloroacetamide chemical family. Resistance to this and other chloroacetamide or oxyacetamide herbicides could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions and rotate use with herbicides with a different mode of action. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on this label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.



Registrant: AgStar New Zealand Pty Ltd

4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

®AgStar is a Registered Trademark of Agstar New Zealand Pty Ltd