

1. Identification of Substance & Company

Product

Product name	Defeat 800
Product code	none
ACVM registration number	P10244
HSNO approval	HSR101016
Approval description	Dianex
UN number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAZINON)
DG class	9
Packaging group	III
Hazchem code	3Z
Uses	Controls insect pests in pasture and other crops

Company Details – Importer

Company	AgStar New Zealand Pty Ltd
Address	4 Putakitaki Street, Lincoln, Christchurch 7608 New Zealand
Telephone	027 483 9755

Company Details – Distributor

Company	Farmlands Co-operative Society Limited
Address	535 Wairakei Road, Burnside, Christchurch 8053
Telephone	0800 200 600

24h EMERGENCY CONTACT: 0800 243 622 (0800 CHEMCALL)
NATIONAL POISON CENTRE: 0800 764 766

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR101016, Dianex). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Hazard Statements

Flammable liquid category 4	H227 - Combustible liquid.
Acute toxicity category 4 (oral)	H302 - Harmful if swallowed.
Acute toxicity category 4 (dermal)	H312 - Harmful in contact with skin.
Acute toxicity category 4 (inhalation)	H332 - Harmful if inhaled.
Aspiration category 1	H304 - May be fatal if swallowed and enters airways.
Eye irritant category 2	H319 - Causes serious eye irritation.
Reproductive toxicity category 2	H361 - Suspected of damaging fertility or the unborn child.
STOT* repeated exposure category 1	H372 - Causes damage to organs through prolonged or repeated exposure.
Acute aquatic category 1	H400 - Very toxic to aquatic life.
Chronic aquatic category 1	H410 - Very toxic to aquatic life with long lasting effects.
Hazardous to soil organisms	H422 - Toxic to the soil environment.
Hazardous to terrestrial vertebrates	H431 - Very toxic to terrestrial vertebrates.
Hazardous to terrestrial invertebrates	H441 - Very toxic to terrestrial invertebrates.

*STOT – System Target Organ Toxicity

SYMBOLS

DANGER



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

- | | |
|-------------------|--|
| Prevention | <ul style="list-style-type: none"> P102 - Keep out of reach of children. P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from flames and hot surfaces*. No smoking. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P281 - Use personal protective equipment as required. |
| Response | <ul style="list-style-type: none"> P101 - If medical advice is needed, have product container or label at hand. P308+P313 - IF exposed or concerned: Get medical advice/ attention. P370+P378 - In case of fire: Use foam, carbon dioxide or dry chemical.for extinction. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P312 - Call a POISON CENTRE or doctor/physician if you feel unwell. P363 - Wash contaminated clothing before reuse. P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. P312 - Call a POISON CENTRE or doctor/physician if you feel unwell. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. P330 - Rinse mouth. P331 Do NOT induce vomiting. P312 - Call a POISON CENTRE or doctor/physician if you feel unwell. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P391 - Collect spillage. |
| Storage | <ul style="list-style-type: none"> P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. |
| Disposal | <ul style="list-style-type: none"> P501 - Dispose of contents/container in accordance with local/regional/national/international regulation. |

3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Diazinon	333-41-5	785-815 g/L
ingredients not contributing to GHS classes	mixture	to 100%

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities Ready access to running water is recommended. Accessible eyewash is recommended.

Exposure

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTRE or doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

Inhaled Generally, inhalation of vapours is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards: This product is a combustible liquid. This product has the potential to cause fire or to create an additional hazard during fire

Suitable extinguishing substances: Carbon dioxide, extinguishing powder, foam.

Unsuitable extinguishing substances: Unknown.

Products of combustion: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.

Protective equipment: Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.

Hazchem code: 3Z

6. Accidental Release Measures

Containment If greater than 100L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.

Emergency procedures In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).

Clean-up method Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage	Store locked up. Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of vapour, mist or aerosols.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	WES-STEL
	Diazinon (skin, bio)	0.1mg/m ³	-

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.
Eyes	Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.
Skin	Protective gloves are recommended. PVC, rubber, neoprene or nitrile are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1.
Respiratory	A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use respirator with an organic vapour cartridge and a dust/mist filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.



WES Additional Information

Not applicable

9. Physical & Chemical Properties

Appearance	clear yellow liquid
Odour	non-specific
Odour Threshold	not available
pH	5.5 - 7.5 (1% aqueous)
Freezing/melting point	no data
Boiling Point	no data
Flashpoint	no data
Flammability	no data
Upper & lower flammable limits	no data
Vapour pressure	no data
Vapour density	no data
Specific gravity/density	no data
Solubility	miscible in water
Partition coefficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	no data
Particle Characteristics	no data

10. Stability & Reactivity

Stability	Stable
Conditions to be avoided	Flammable substance. Keep away from sources of ignition at all times. Containers should be kept closed in order to avoid contamination.
Incompatible groups	Incompatible with strong alkalis or oxidising materials.
Substance Specific Incompatibility	none known
Hazardous decomposition products	Hydrogen chloride and toxic oxides of nitrogen are released when the product decomposes on heating.
Hazardous reactions	none known

11. Toxicological Information

Summary

IF SWALLOWED: harmful if swallowed. May be fatal if swallowed and enters airway.
 IF IN EYES: may cause permanent eye damage.
 IF ON SKIN: harmful in contact with skin.
 IF INHALED: harmful if inhaled.
 CHRONIC TOXICITY: Suspected of damaging fertility or the unborn child. May causes neurotoxicity and affect the nervous system.

Supporting Data

Acute	Oral	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg. Data considered includes: Diazinon 300 mg/kg bw (rat). EDIT: This mixture is not considered an aspiration hazard.
	Aspiration	
	Dermal	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is >2,000 mg/kg. Data considered includes: Diazinon 876mg/kg bw (with stabiliser) (rat).
	Inhaled	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h. Data considered includes: Diazinon 1.6mg/L (mouse).
Chronic	Eye	The mixture is considered to be an eye irritant, because some of the ingredients present are considered eye irritants in more concentrated form.
	Skin	The mixture is not considered to be a skin irritant.
	Sensitisation	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	No ingredient present at concentrations > 0.1% is considered a carcinogen.
	Reproductive / Developmental	The mixture is considered to be a suspected reproductive or developmental toxicant, because at least one of the ingredients (Diazinon) present in greater than 0.1% is suspected to be a reproductive or developmental toxicant.
	Systemic	The mixture is considered to be a suspected target organ toxicant, because at least one of the ingredients present in greater than 1% is suspected to be a target organ toxicant.

Aggravation of existing conditions None known.

12. Ecological Data

Summary

This mixture is very toxic to aquatic life with long-lasting effects, toxic to the soil terrestrial invertebrates, very toxic to terrestrial vertebrate and terrestrial invertebrates. In all cases prevent run-off to drains, sewers and waterways.

Supporting Data

Aquatic	Using EC ₅₀ 's for ingredients, the calculated EC ₅₀ for the mixture is > 100 mg/L. Data considered includes: Diazinon LC ₅₀ : 0.09mg/L (96h, <i>Oncorhynchus mykiss</i>), EC ₅₀ : 0.001 mg/L (48h (<i>Daphnia magna</i>), NOEC (Mortality change): 0.00015mg/L (21 days, <i>Daphnia magna</i>), not bioaccumulative, not biodegradable, M-Factor Acute: 100 M-Factor Chronic: 1000
Bioaccumulation	Diazinon is not bioaccumulative.
Degradability	Diazinon is not biodegradable.
Soil	EPA has classified the mixture as hazardous to the soil environment.
Terrestrial vertebrate	The mixture has been classified by EPA as very ecotoxic to terrestrial vertebrates. See acute toxicity.
Terrestrial invertebrate	The mixture has been classified by EPA as very ecotoxic to terrestrial vertebrates.
Biocidal	Controls insect pests in pasture and other crops.

13. Disposal Considerations

Restrictions	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
Disposal method	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
Contaminated packaging	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAZINON)
Class(es)	9	Packing group:	III
Precautions:	Marine Pollutant	Hazchem code:	3Z
IMDG			
UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAZINON)
Class(es)	9	Packing group:	III
Precautions:	Marine Pollutant	EMS	F-A, S-F
IATA			
UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAZINON)
Class(es)	9	Packing group:	III
Precautions:	Marine Pollutant		

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR101016, Dianex. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 100L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 100L is stored.
Signage	Required if > 100L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	If > 500L present.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.
ACVM registration number: P10244

16. Other Information

Abbreviations

Approval Code	Approval HSR101016, Dianex Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
EC₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7 th revised edition, 2017, published by the United Nations.
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC₅₀	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
NZIoC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
STOT RE	System Target Organ Toxicity – Repeated Exposure
STOT SE	System Target Organ Toxicity – Single Exposure
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

References

Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz , Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz .
Other References:	Suppliers SDS

Review

Date 27 November 2025	Reason for review Not applicable - New SDS
--	--

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

