

W165mm x H205mm 正面标贴
Swap 375 + 250 WG™ 5kg



WARNING
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC



Swap 375 + 250 WG™

FUNGICIDE

ACTIVE INGREDIENT CONTAINS
375 g/kg CYPRODINIL and 250 g/kg FLUDIOXONIL
in the form of a water dispersible granule

For the control of Botrytis in Grapes and Onions,
Botrytis, Anthracnose and Rhizopus in
Strawberries and Botrytis and Anthracnose in
Blueberries

Net contents: 5 kg



9 421038 711262 >



PEEL
HERE

PLEASE READ THE LABEL COMPLETELY BEFORE USE

HAZARD CLASSIFICATIONS

Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



TOXICITY

May cause organ damage from repeated ingestion at high doses.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Harmful to terrestrial vertebrates. Do not apply directly into or onto water.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

TRAINED HANDLER This product must be under the control of a trained handler during mixing, loading and use.

RECORD-KEEPING Records of use are required when 3 kg or more is applied within a 24 hour period in an application area where the substance is likely to enter air or water and leave the application area.

PRECAUTIONS

Avoid contact with eyes and skin. Avoid inhalation of dust or spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before rest breaks, meals and after work.

STORAGE Keep out of reach of children. Store in the original, tightly closed container, in a secure place away from foodstuffs. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Storage of 100kg or more requires signage, secondary containment and an emergency response plan.

USE Apply with well maintained and calibrated spray equipment.

DISPOSAL

Do not contaminate environment with product or container.

Product disposal - If possible dispose of by using according to the label, otherwise dispose of in an approved landfill.

Container disposal - Ensure container is completely empty. Dispose of to an agricultural recycling service or bury in suitable landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

Call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor for advice. If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if person feels unwell. If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. If skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and running water. If skin irritation persists, get medical attention. If inhaled, immediately move to fresh air and rest. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Get immediate medical assistance.

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. In a fire, evacuate and call **111 Fire Brigade**.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. If granules have spilt, moisten to prevent dusting and sweep up. If liquid, absorb spill with inert material such as soil, sand, etc. Place in waste container. Wash area with water, and absorb with further inert material. Dispose of safely to a suitable landfill.

RESISTANCE MANAGEMENT

GROUP	9+12	FUNGICIDE
-------	------	-----------

Swap 375 + 250 WG contains a Group 9 fungicide (cyprodinil, belonging to the anilinopyrimidine class of chemistry) and Group 12 fungicide (fludioxonil, belonging to the phenylpyrrole class of chemistry). Resistance to this fungicide and related anilinopyrimidine products could develop in some situations from repeated use. To minimise this risk, use the product strictly in accordance with the label instructions.

Blueberries, Grapes and Bulb Onions: Do NOT use more than 2 applications of **Swap 375 + 250 WG** or any other anilinopyrimidine fungicide on the same crop during the season.

Strawberries: A maximum of 3 applications of **Swap 375 + 250 WG** or any other anilinopyrimidine fungicide per season can be made if more than six sprays in total are made for Botrytis control. If 6 or less Botrytis control sprays are made then do NOT apply more than 2 applications of **Swap 375 + 250 WG** or any other anilinopyrimidine fungicide per season.

Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

WARRANTY

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Swap 375 + 250 WG™ is a tradename of AGROBEATS TECH CO., LTD

Registered pursuant to the ACVM Act 1997, No. P10008

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, No. HSR100937

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AGROBEATS TECH CO., LTD
C-47, No. 69, Shuangfeng Road, Pukou Economic Development Zone, Pukou District, Nanjing, P.R. China
NZ Agent: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz

PLEASE READ THE LABEL COMPLETELY BEFORE USE

HAZARD CLASSIFICATIONS

Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



TOXICITY

May cause organ damage from repeated ingestion at high doses.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Harmful to terrestrial vertebrates.

Do not apply directly into or onto water.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

TRAINED HANDLER This product must be under the control of a trained handler during mixing, loading and use.

RECORD-KEEPING Records of use are required when 3 kg or more is applied within a 24 hour period in an application area where the substance is likely to enter air or water and leave the application area.

PRECAUTIONS

Avoid contact with eyes and skin. Avoid inhalation of dust or spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before rest breaks, meals and after work.

STORAGE Keep out of reach of children. Store in the original, tightly closed container, in a secure place away from foodstuffs. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Storage of 100kg or more requires signage, secondary containment and an emergency response plan.

USE Apply with well maintained and calibrated spray equipment.

DISPOSAL

Do not contaminate environment with product or container.

Product disposal - If possible dispose of by using according to the label, otherwise dispose of in an approved landfill.

Container disposal - Ensure container is completely empty. Dispose of to an agricultural recycling service or bury in suitable landfill. Do not burn. Do not use container for any other purpose.

FIRST AID

Call the National Poisons Centre **0800 POISON (0800 764 766)** (24 hrs) or a doctor for advice. If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if person feels unwell. If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. If skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and running water. If skin irritation persists, get medical attention. If inhaled, immediately move to fresh air and rest. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth. Get immediate medical assistance.

Emergency Response

In a transport emergency call **111, Police or Fire Brigade**. In a fire, evacuate and call **111 Fire Brigade**.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. If granules have spilt, moisten to prevent dusting and sweep up. If liquid, absorb spill with inert material such as soil, sand, etc. Place in waste container. Wash area with water, and absorb with further inert material. Dispose of safely to a suitable landfill.

RESISTANCE MANAGEMENT

GROUP 9+12 FUNGICIDE

Swap 375 + 250 WG contains a Group 9 fungicide (cyprodinil, belonging to the anilinopyrimidine class of chemistry) and Group 12 fungicide (fludioxonil, belonging to the phenylpyrrole class of chemistry). Resistance to this fungicide and related anilinopyrimidine products could develop in some situations from repeated use. To minimise this risk, use the product strictly in accordance with the label instructions.

Blueberries, Grapes and Bulb Onions: Do NOT use more than 2 applications of **Swap 375 + 250 WG** or any other anilinopyrimidine fungicide on the same crop during the season.

Strawberries: A maximum of 3 applications of **Swap 375 + 250 WG** or any other anilinopyrimidine fungicide per season can be made if more than six sprays in total are made for Botrytis control. If 6 or less Botrytis control sprays are made then do NOT apply more than 2 applications of **Swap 375 + 250 WG** or any other anilinopyrimidine fungicide per season.

Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

WARRANTY

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer's control. The manufacturer declines all liability for damage resulting from improper storage or use of the product.

Swap 375 + 250 WG™ is a tradename of AGROBEATS TECH CO., LTD

Registered pursuant to the ACVM Act 1997, No. P10008

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSN Act 1996, No. HSR100937

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant:

AGROBEATS TECH CO., LTD

C-47, No.69, Shuangfeng Road, Pukou Economic Development Zone, Pukou District, Nanjing, P.R. China

NZ Agent:

AgStar New Zealand Pty Ltd

4 Putakitiki Street, Lincoln, 7608

Distributed by:

Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz