

WARNING
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC

AgSta 

Distinct 500

HERBICIDE

ACTIVE INGREDIENT CONTAINS
500 g/l dicamba

as the dimethylamine salt in the form of asoluble concentrate.

A selective herbicide for the control of certain broadleaf weeds in conservation tillage programs and in cereals, maize, some forage brassicas, pasture and waste areas.
(Controls atrazine resistant fathen in maize)

Net contents: 10 L



9 421038 710180 >



AGRECOVERY

PEEL
HERE

READ LABEL COMPLETELY BEFORE OPENING AND USING

HAZARD CLASSIFICATIONS

Skin irritation Category 2, Eye irritation Category 2, Specific target organ toxicity (repeated) Category 2, Hazardous to aquatic environment (acute and chronic) Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates.



TOXICITY

WARNING: Causes skin and serious eye irritation. May cause liver damage from repeated ingestion of high doses.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Very toxic to the soil environment. Toxic to terrestrial vertebrates and terrestrial invertebrates. Must not be applied directly onto or into water. Take all reasonable steps to ensure that the product does not cause any significant adverse effects to the environment beyond the application area. This product must be under the control of a suitably qualified handler when mixed, loaded or applied

Do not apply product to plants if –

- (1) Bees are foraging; or
- (2) The plants are in flower or part flower, and are likely to be visited by non-target invertebrate pollinators (including bees).

RECORD KEEPING If 3 kg or more is applied within 24 hours, in a place where Distinct 500 is likely to enter air or water and leave the application area, a written record must be kept of each application.

HANDLING PRECAUTIONS

PERSONAL PROTECTION Avoid contact with the eyes. Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash personal protective equipment after use.

STORAGE Keep out of reach of children. Store in original container tightly closed and in a secure dry, cool, well ventilated area, away from food stuffs. Store in accordance with the current version of NZS 8409 Management of Agrichemicals. Store containing 100 L or more of Distinct 500 require secondary containment, signage, and an emergency response plan.

SPILLS AND DISPOSAL When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Collect spill and contaminated material, into labelled drums that can be sealed for safe disposal. If spray mixture is spilled, contain and absorb with suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, contact the local regulatory authority.

Product Disposal Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal Ensure container is completely empty. Triple rinse container and add residue to mixture. Recycle containers if possible through an agrichemical recycling service, otherwise bury in an approved land fill.

FIRST AID

If swallowed do NOT induce vomiting. Rinse mouth. For advice, contact the **National Poisons Centre 0800 POISON (0800 764766)** or a doctor immediately. If on skin, remove contaminated clothing and wash affected areas with plenty of water. DO NOT SCRUB THE SKIN. If in eyes, flush with running water for at least 15 minutes. Remove contact lenses if present after the first 5 minutes and keep rinsing. If skin or

eye irritation persists, get medical advice. If inhaled, remove to fresh air and keep at rest until recovered. Get medical advice if person feels unwell.

Safety Data Sheet

Additional information is provided in the safety data sheet.

MIXING / COMPATIBILITY Partially fill the spray tank and add the measured quantity of Distinct 500. Agitate while filling and spraying. Distinct 500 is compatible with most commonly used herbicides: check the label of the companion product before mixing.

CLEANING After use flush the spray equipment thoroughly. If the sprayer is to be used on sensitive crops ensure it is thoroughly decontaminated.

RESISTANCE MANAGEMENT

Distinct 500 contains the GROUP 4 HERBICIDE Dicamba belonging to benzoic acid chemical group. Resistance to this herbicide could develop from excessive use. To minimize this risk use strictly in accordance with label instructions and resistance management strategies (www.resistance.nzpps.org/) if any for the crops listed on this label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10201

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000442.

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT

CALL 0800 243 622

NATIONAL POISONS CENTRE

**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY

CALL 111

POLICE OR FIRE BRIGADE

AgSta 

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz

READ LABEL COMPLETELY BEFORE OPENING AND USING

HAZARD CLASSIFICATIONS

Skin irritation Category 2, Eye irritation Category 2, Specific target organ toxicity (repeated) Category 2, Hazardous to aquatic environment (acute and chronic) Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates.



TOXICITY

WARNING: Causes skin and serious eye irritation. May cause liver damage from repeated ingestion of high doses.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Very toxic to the soil environment. Toxic to terrestrial vertebrates and terrestrial invertebrates. Must not be applied directly onto or into water. Take all reasonable steps to ensure that the product does not cause any significant adverse effects to the environment beyond the application area. This product must be under the control of a suitably qualified handler when mixed, loaded or applied

Do not apply product to plants if –

- (1) Bees are foraging; or
- (2) The plants are in flower or part flower, and are likely to be visited by non-target invertebrate pollinators (including bees).

RECORD KEEPING If 3 kg or more is applied within 24 hours, in a place where Distinct 500 is likely to enter air or water and leave the application area, a written record must be kept of each application.

HANDLING PRECAUTIONS

PERSONAL PROTECTION Avoid contact with the eyes. Do not eat, drink or smoke while using. Wear protective clothing such as impervious gloves, waterproof hat, coat and trousers when using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash personal protective equipment after use.

STORAGE Keep out of reach of children. Store in original container tightly closed and in a secure dry, cool, well ventilated area, away from food stuffs. Store in accordance with the current version of NZS 8409 Management of Agrichemicals. Store containing 100 L or more of Distinct 500 require secondary containment, signage, and an emergency response plan.

SPILLS AND DISPOSAL When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Collect spill and contaminated material, into labelled drums that can be sealed for safe disposal. If spray mixture is spilled, contain and absorb with suitable inert absorbent material and collect in drums as above. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, contact the local regulatory authority.

Product Disposal Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

Container Disposal Ensure container is completely empty. Triple rinse container and add residue to mixture. Recycle containers if possible through an agrichemical recycling service, otherwise bury in an approved land fill.

FIRST AID

If swallowed do NOT induce vomiting. Rinse mouth. For advice, contact the **National Poisons Centre 0800 POISON (0800 764766)** or a doctor immediately. If on skin, remove contaminated clothing and wash affected areas with plenty of water. DO NOT SCRUB THE SKIN. If in eyes, flush with running water for at least 15 minutes. Remove contact lenses if present after the first 5 minutes and keep rinsing. If skin or

eye irritation persists, get medical advice. If inhaled, remove to fresh air and keep at rest until recovered. Get medical advice if person feels unwell.

Safety Data Sheet

Additional information is provided in the safety data sheet.

MIXING / COMPATIBILITY Partially fill the spray tank and add the measured quantity of Distinct 500. Agitate while filling and spraying. Distinct 500 is compatible with most commonly used herbicides: check the label of the companion product before mixing.

CLEANING After use flush the spray equipment thoroughly. If the sprayer is to be used on sensitive crops ensure it is thoroughly decontaminated.

RESISTANCE MANAGEMENT

Distinct 500 contains the GROUP 4 HERBICIDE Dicamba belonging to benzoic acid chemical group. Resistance to this herbicide could develop from excessive use. To minimize this risk use strictly in accordance with label instructions and resistance management strategies (www.resistance.nzpps.org/) if any for the crops listed on this label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10201

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR000442.

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz