

Keep out of reach of children



ADDME

SURFACTANT

An Organo Silicone Penetrant for Use as a Spray Additive for Improved Coverage, Penetration and Uptake of Herbicides, Fungicides, Insecticides, Miticides and Foliar Micro-Nutrients as per the Directions for Use.

Supplier: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
Tel 027 483 9756

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

ACTIVE INGREDIENT:

Contains 1020 g/L Polyether Modified Polysiloxane

Net contents: 20 L



<Header>
font {arial Bold, arial Black}
font size 13, 16
font color ☐ C0 M0 Y0 K0
☒ C0 M0 Y0 K75

<Logo>
☒ C0 M0 Y0 K100
☒ C59 M0 Y100 K0

<Trade name background>
☒ C0 M0 Y0 K80
☒ C59 M0 Y100 K0

<Active ingredient>
font {arial Regular, arial Black}
font size 11, 12
font color ☐ C0 M0 Y0 K0

<Net contents>
font arial Black
font size 20
font color ☐ C0 M0 Y0 K0
☒ C0 M0 Y0 K75

PLEASE READ THE LABEL COMPLETELY BEFORE USE

PEEL
HERE

HAZARD CLASSIFICATION

Acute Toxicity - Inhalation: Category 4

PROTECTION PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, waterways or rivers with the chemical or the used containers.

STORAGE KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Storage must be in accordance with the current version of New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing 1000L or more require secondary containment, signage and an emergency response plan.

SPILLAGE Wear appropriate protective clothing to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste labelled containers. Wash area with water and alkaline detergent then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL Triple rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

SAFETY DIRECTIONS Avoid contact with skin and eyes. Wear overalls, rubber gloves, goggles or face shield.

FIRST AID For advice contact the National Poisons Centre (0800 764 766) or call a doctor. If skin contact occurs remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

EMERGENCY RESPONSE In an emergency call 111, Police or Fire Brigade. For specialist advice in an emergency only, call 0800 CHEMCALL (0800 243 6225) (24 hrs)

GENERAL INFORMATION

ADDME is a highly penetrating surfactant suitable for use with glyphosate herbicides, certain brush control herbicides, fungicides, insecticides, miticides and foliar micro-nutrients. It improves the efficiency by enhancing the penetration and uptake into certain hard to control woody weeds such as bracken, gorse and perennial ryegrass. ADDME is not a general purpose surfactant and should only be used where addition of a silicone surfactant is recommended.

MIXING

Add ADDME to spray tank after the agricultural chemical is thoroughly mixed.

SITUATIONS FOR USE/ DIRECTIONS FOR USE

Situation	Application Method	Rate /100L spray mixture	Critical Comments
Use with Fungicides	See pesticide label	30 - 60 mL	The rates of Addme are given as a guide only.
Use with Insecticides and miticides		30 - 60 mL	Always refer to the pesticide label for the rates of organosilicone penetrant.
Use with Fungicides and Foliar Micro-Nutrients		30 - 60 mL	Do not use unless the manufacturer of companion pesticides specifically recommends surfactant use.
Use with glyphosate herbicides			
Bracken, Broom, Sweet Briar	Boom or Aerial	200 mL	To enhance control of these weeds, add to recommended rates of glyphosate, both liquid and dry forms. Use in accordance with herbicide label directions.
Perennial Ryegrass	Spray	100 mL	
Bracken, Broom, Gorse	Handgun	200 mL	Rainfree Period The addition of Addmet will increase the rate of uptake for some herbicides and may reduce the rainfree period down to 30 - 60 minutes when sprayed on dry foliage. The rainfree period will not be reduced when treating wet plants.
Perennial Ryegrass		100 mL	
Bracken, Broom, Sweet Briar	Knapsack	20 mL/10 L	
Use with other Brush control herbicides			
	Broadacre Spraying	100 mL	Follow directions on the herbicide label and use of
	Knapsack	10 mL/10 L	Addme only when an organosilicone surfactant is recommended.

CONDITIONS OF SUPPLY
READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Batch No.
Date of Manufacture

For more information, find us at www.agstar.co.nz

