

WARNING
KEEP OUT OF REACH OF CHILDREN
READ LABEL BEFORE MIXING AND APPLYING

Supershot 800

FUNGICIDE

ACTIVE INGREDIENT: 800G/KG SULPHUR IN THE FORM OF A WATER DISPERSIBLE GRANULE.

FOR THE CONTROL OF POWDERY MILDEW IN APPLES, GRAPES, TAMARILLOS, ORNAMENTALS AND VEGETABLES AND RUST DISEASES IN STONE FRUIT AND ORNAMENTALS

Registered pursuant to the ACVM Act 1997 No. P010279.
See www.foodsafety.govt.nz for registration conditions.
Approved under the HSNO Act 1996, HSR000741
See www.epa.govt.nz for controls.

IN A TRANSPORT EMERGENCY: CALL 111, POLICE OR FIRE BRIGADE



DIRECTIONS FOR USE

Supershot 800 Fungicide is a protectant fungicide and for best results should be applied before disease infection occurs. The rates suggested are for high volume spraying to run-off. For concentrate spraying adjust dilution rates accordingly.

It is an offence to use this product on animals

Crop	Disease	Use Rate / 100L	Critical Comments
Apples	Powdery Mildew	100-200 g	Apply from bud movement until harvest at 14 day intervals. Do NOT apply within 5 days of Captan application. Do NOT apply to sulphur sensitive varieties, such as Kidds Orange, Cox's Orange Pippin or Red Delicious. Do NOT apply to pears. Do NOT apply in temperatures above 25 degrees Celsius.
Grapes	Powdery Mildew	150-300 g	Apply from bud swell at 10-14 day intervals. Use the higher rate when disease is present.
Peaches Plums Nectarines	Rust	100-200 g	Apply at fruit set and repeat at 21 day intervals until harvest. Use the higher rate when conditions favour infection. Do NOT apply to apricots
Ornamentals	Powdery Mildew and Rust	100-200 g	Apply at 10-14 day intervals when conditions favour infection.

Tamarillos	Powdery Mildew	100-200g	Apply at 14 day intervals throughout the growing season.
Vegetables	Powdery Mildew	100-200g	Apply at 10-14 day intervals when conditions favour infection. Use the higher rate when disease is present. Do NOT apply to cucumbers or rockmelons.

MIXING

Partially fill spray tank to about one quarter capacity and start agitation. Slowly add the required amount of **Supershot 800 Fungicide** while continuing to fill the spray tank. Maintain agitation throughout application.

APPLICATION

Suitable for use with all types of applicators. Good spray coverage is necessary for disease control. Clean out spray equipment after use.

COMPATIBILITY

Supershot 800 Fungicide is compatible with most commonly used fungicides, insecticides and foliar fertilisers, however mixtures with Captan are not recommended. **Supershot 800 Fungicide** is NOT COMPATIBLE with spraying oils or formulations containing mineral oils. Do NOT apply within 21 days of an oil application.

RAINFALL

Rainfall within 3 hours of application may reduce efficacy.

Withholding Period: 1 day for all crops.

Leaf plucking in vineyards:

Sheep must not be sent for slaughter or milked for 2 months after being removed from the vineyard (and placed on clean feed).

RESISTANCE MANAGEMENT

GROUP	M2	FUNGICIDE
--------------	-----------	------------------

Supershot 800 Fungicide contains sulphur, an inorganic fungicide. Resistance to this fungicide could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions.

Consult <http://res.nzpps.org/index.php> for alternate modes of action and details of resistance management strategies (if any) for crops listed on this label.

CONDITIONS OF SALE

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.



Registrant: AgStar New Zealand Pty Ltd

4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

©AgStar is a Registered Trademark of Agstar New Zealand Pty Ltd