

ECOTOXIC

ADDME

SURFACTANT

ACTIVE INGREDIENT:

CONTAINS 80% -90% 3-(Polyoxyethylene)propylheptamethyltrisiloxane
and 10%-20% Allyloxypolyethyleneglycol

**A ORGANO SILICONE PENETRATION FOR USE AS A SPRAY ADDITIVE FOR IMPROVED COVERAGE,
PENETRATION AND UPTAKE OF HERBICIDES, FUNGICIDES, INSECTICIDES, MITICIDES AND
FOLIAR MICRO-NUTRIENTS AS PER THE DIRECTIONS FOR USE.**

Approved pursuant to the HSNO Act 1996, No. HSR002503.

See www.epa.govt.nz for Controls.

Supplier: **AgStar New Zealand Pty Ltd**
4 Putakitaki Street, Lincoln, 7608

Distributed by: **Farmlands Co-operative Society Limited**
535 Wairakei Road, Burnside, Christchurch 8053 TEL: 0800 200 600

IN A TRANSPORT EMERGENCY: CALL 111, POLICE OR FIRE BRIGADE



PLEASE READ THE LABEL COMPLETELY BEFORE USE

SITUATIONS FOR USE/ DIRECTIONS FOR USE

ADDME is a highly penetrating surfactant suitable for use with glyphosate herbicides, certain brush control herbicides, fungicides, insecticides, miticides and foliar micro-nutrients. It improves the efficiency by enhancing the penetration and uptake into certain hard to control woody weeds such as bracken, gorse and perennial ryegrass. **ADDME** is not a general purpose surfactant and should only be used where addition of a silicone surfactant is recommended.

Situation	Application Method	Rate/ 100L spray mixture	Critical Comments
Use with Fungicides	See pesticide label	30 - 60 mL	The rates of ADDME are given as a guide only. Always refer to the pesticide label for the rates of organosilicone penetrant.
Use with Insecticides and miticides		30 - 60 mL	
Use with Fungicides and Foliar Micro-Nutrients		30 - 60 mL	Do not use unless the manufacturer of companion pesticides specifically recommends surfactant use.
Use with glyphosate herbicides			
Bracken, Broom, Sweet Briar	Boom or Aerial Spray	200 mL	To enhance control of these weeds, add to recommended rates of glyphosate, both liquid and dry forms. Use in accordance with herbicide label directions. Rainfree Period
Perennial Ryegrass		100 mL	
Bracken, Broom, Gorse	Handgun	200 mL	

Perennial Ryegrass		100 mL	The addition of ADDME will increase the rate of uptake for some herbicides and may reduce the rainfree period down to 30 - 60 minutes when sprayed on dry foliage. The rainfree period will not be reduced when treating wet plants.
Bracken, Broom, Sweet Briar	Knapsack	20 mL / 10 L	
Use with other Brush control herbicides			
	Broadacre Spraying	100 mL	Follow directions on the herbicide label and use of ADDME only when an organosilicone surfactant is recommended.

NOTE: NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

MIXING

Add ADDME to spray tank after the agricultural chemical is thoroughly mixed.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product



Registrant: AgStar New Zealand Pty Ltd

4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

®AgStar is a Registered Trademark of Agstar New Zealand Pty Ltd