

ECOTOXIC
FOR USE IN WORKPLACES ONLY

AgSta 

Fluent 800

HERBICIDE

ACTIVE INGREDIENT

Contains **800g/kg flumetsulam**
in the form of a water dispersible granule

For the selective control of broadleaf weeds in new and established pasture, chicory, clover, lucerne and maize.

Net contents: 500g



9 421038 710203 >



READ LABEL COMPLETELY BEFORE OPENING AND USE

This product must not be used for any purpose, or in any manner, contrary to the label unless authorised under appropriate legislation.

HAZARD CLASSIFICATIONS

Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1, Hazardous to soil organisms.



ECOTOXICITY

Very toxic to aquatic organisms and with long-lasting effects.

Very toxic to the soil environment. Selective herbicide- very toxic to some plant species.

Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause damage to other desirable plants. Do not allow spray drift to occur outside the target area. Do not apply directly into or onto water.

QUALIFIED HANDLER This product must be under the control of a suitably trained handler during mixing, loading and use.

RECORD-KEEPING A written record of use of each application must be kept when 3 kg or more is applied within 24 hours, in places where the product is likely to enter air or water and leave the application area.

HANDLING PRECAUTIONS

PERSONAL PROTECTION Avoid contact with skin and eyes and inhalation of spray mist.

When mixing and applying wear protective clothing such as waterproof gloves, eye protection, overalls and boots. Remove protective clothing and wash hands and face thoroughly before meals and after work. Do not eat, drink or smoke while using. Clean protective clothing and equipment before re-use.

STORAGE Keep out of reach of children. Store in accordance with the current version of NZS 8409 Management of Agrichemicals. Store in original container tightly closed in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Stores containing 100 kg or more of **Fluent 800** require signage, secondary containment and an emergency response plan.

SHELF LIFE When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

EQUIPMENT Apply using well maintained and accurately calibrated equipment. Flush equipment thoroughly with clean water after use. Decontaminate equipment before use on sensitive plants.

SPILLAGE AND DISPOSAL Avoid contamination of any water supply with chemical or empty container. Collect spill. Wear appropriate protective clothing and prevent material from entering waterways. Exclude non-essential people from the area. Contain liquid spills and absorb with inert material such as soil or sand and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

Product Disposal Dispose of product only by using according to label directions or dispose of safely at a managed landfill.

Container Disposal Ensure container is empty of residues. Dispose of by crushing or puncturing and burying in an approved landfill. Do not burn container. Do not use container for any other purpose.

FIRST AID

For first aid contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor. If swallowed, DO NOT induce vomiting. Rinse mouth. Get medical advice. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

If inhaled, move the patient to fresh air immediately and keep at rest in a position comfortable for breathing. Begin artificial respiration if breathing has stopped.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

RESISTANCE MANAGEMENT

GROUP 2 HERBICIDE

Fluent 800 contains flumetsulam from the triazopyrimidines group of herbicides. Naturally occurring biotypes resistant to this herbicide group may exist. To delay or prevent the development of resistant weeds, use **Fluent 800** according to the label rate and weed growth stage, and rotate with an effective herbicide of a different mode of action. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any).

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within the tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrars' control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10126

See www.tscsafety.govt.nz for registration conditions.

Approved under the HSNO Act 1996: HSR000458

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT

CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY

CALL 111

POLICE OR FIRE BRIGADE

AgSta

Registrant: AgStar New Zealand Pty Ltd

4 Putakitek Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz



READ LABEL COMPLETELY BEFORE OPENING AND USE

This product must not be used for any purpose, or in any manner, contrary to the label unless authorised under appropriate legislation.

HAZARD CLASSIFICATIONS

Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1, Hazardous to soil organisms.



ECOTOXICITY

Very toxic to aquatic organisms and with long-lasting effects.

Very toxic to the soil environment. Selective herbicide-very toxic to some plant species.

Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause damage to other desirable plants. Do not allow spray drift to occur outside the target area. Do not apply directly into or onto water.

QUALIFIED HANDLER This product must be under the control of a suitably trained handler during mixing, loading and use.

RECORD-KEEPING A written record of use of each application must be kept when 3 kg or more is applied within 24 hours, in places where the product is likely to enter air or water and leave the application area.

HANDLING PRECAUTIONS

PERSONAL PROTECTION Avoid contact with skin and eyes and inhalation of spray mist.

When mixing and applying wear protective clothing such as waterproof gloves, eye protection, overalls and boots. Remove protective clothing and wash hands and face thoroughly before meals and after work. Do not eat, drink or smoke while using. Clean protective clothing and equipment before re-use.

STORAGE Keep out of reach of children. Store in accordance with the current version of NZS 8409 Management of Agrichemicals. Store in original container tightly closed in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Stores containing 100 kg or more of **Fluent 800** require signage, secondary containment and an emergency response plan.

SHELF LIFE When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

EQUIPMENT Apply using well maintained and accurately calibrated equipment. Flush equipment thoroughly with clean water after use. Decontaminate equipment before use on sensitive plants.

SPILLAGE AND DISPOSAL Avoid contamination of any water supply with chemical or equipment container. Collect spill. Wear appropriate protective clothing and prevent material from entering waterways. Exclude non-essential people from the area. Contain liquid spills and absorb with inert material such as soil or sand and place in waste containers. Sweep up solids without creating dust. Wash area with water and absorb with further inert material. Dispose of waste safely in an approved landfill.

Product Disposal Dispose of product only by using according to label directions or dispose of safely at a managed landfill.

Container Disposal Ensure container is empty of residues. Dispose of by crushing or puncturing and burying in an approved landfill. Do not burn container. Do not use container for any other purpose.

FIRST AID

For advice contact the National Poisons Centre (0800 764 766) or a doctor. If swallowed, DO NOT induce vomiting. Rinse mouth. Get medical advice. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water.

If inhaled, move the patient to fresh air immediately and keep at rest in a position comfortable for breathing. Begin artificial respiration if breathing has stopped.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

RESISTANCE MANAGEMENT

GROUP	2	HERBICIDE
-------	---	-----------

Fluent 800 contains flumetsulam from the triazoloimidines group of herbicides. Naturally occurring biotypes resistant to this herbicide group may exist. To delay or prevent the development of resistant weeds, use **Fluent 800** according to the label rate and weed growth stage, and rotate with an effective herbicide of a different mode of action. Consult <http://resistance.nzps.org/index.php> for alternative modes of action and details of resistance management strategies (if any).

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants' control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10216

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSNO Act 1996, HSR0000458

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant:

AgStar New Zealand Pty Ltd
4 Putakiki Street, Lincoln, 7808

Distributed by:

Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Date No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz