

W185mm x H210mm 正面标贴
Turbostar 430SC 20L



WARNING
Keep out of reach of children

AgSta 

Turbostar 430SC

FUNGICIDE

ACTIVE INGREDIENT

Contains **430 g/L Tebuconazole**
in the form of a suspension concentrate.

A systemic triazole (DMI) fungicide for the control of diseases in cereals, grass seed crops, peas and onions, for the control of brown rot in stonefruit and to control rust and fusarium in pasture.

Net contents: 20 L



9 421038 711316 >



READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

HAZARD CLASSIFICATIONS

Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



TOXICITY

WARNING Suspected of damaging fertility or the unborn child. May cause damage to the endocrine system from repeated oral exposure at high doses.

ECOTOXICITY

WARNING Very toxic to aquatic organisms and with long-lasting effects. Harmful to terrestrial vertebrates.

Do not apply directly onto or into water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER

This product must be used under the personal control of suitably qualified handler during mixing, loading and application.

RECORD KEEPING

Records of use, as described in the relevant HSNO regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept if using more than 3kg of **Turbostar 430SC** within 24 hours in a place where the product is likely to enter air or water and leave the application area.

PERSONAL PROTECTION

When handling wear eye protection, waterproof gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protection clothing and equipment daily after use.

STORAGE

Store in original container tightly closed away and in a secure, dry, cool area, well away from foodstuffs, feedstock, fertilisers and seeds. Storage must be in accordance with the current version of New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing 100 L or more require secondary containment, signage and an emergency response plan.

Shelf Life When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SPILLAGE

Collect spillage. Wear appropriate protective clothing to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste labelled containers. Wash area with water and alkaline detergent then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Do not contaminate any water supply with product or used container

Product - Dispose of this product by using according to the label or at an approved facility.

Container - Triple rinse empty containers with water and add rinsate to spray tank. Recycle empty container at an approved recycling facility. Otherwise crush or puncture and bury in a suitably approved landfill. Do NOT use the container for any other purpose.

FIRST AID

If exposed or concerned, get medical advice. For advice contact the National Poisons Centre (0800 764 766) or call a doctor. If swallowed, do NOT induce vomiting. Rinse mouth. If splashed in the eyes, rinse cautiously with water for several minutes. Remove contact lenses if present an easy to do. Continue rinsing. If irritation persists, get medical advice. If skin or hair contact, remove contaminated clothing and wash skin and hair with running water. Get medical advice if skin irritation persists. If inhaled move person to fresh air immediately and keep at rest in position comfortable for breathing. Get medical advice if person feels unwell.

HANDLING PRECAUTIONS

Equipment Apply using accurately calibrated and maintained equipment in accordance with

the New Zealand Standard for the Management of Agrichemicals (NZS8409).

Mixing Before opening the container, shake the contents several times. For large containers, roll and invert drum several times to ensure the formulation is evenly mixed.

Add the required amount of **Turbostar 430SC** to the half filled spray tank. Add the remainder of the water and agitate thoroughly when mixing, spraying or restarting after a stoppage. Do not leave spray mix in sprayer overnight.

Cleaning Flush equipment thoroughly with clean water after use. If the spray unit which has applied **Turbostar 430SC** is to be used for the application of other chemicals to sensitive crops, ensure the unit is completely decontaminated.

Compatibility **Turbostar 430SC** is compatible with most commonly used insecticides and fungicides.

Resistance Management

GROUP 03 FUNGICIDE

Turbostar 430SC contains a fungicide from the triazole group of fungicides and has the DMI (Demethylation Inhibitors) mode of action. Resistance to this fungicide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any fungus listed on the label. Refer to www.resistance.nzpps.org for further resistance management advice.

CONDITIONS OF SALE

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P9962

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR007675.

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AGROBEATS TECH CO., LTD
C-47, No 69, Shuangfeng Road, Pukou Economic Development Zone,
Pukou District, Nanjing, P R China 210031

NZ Agent: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
www.agstar.co.nz

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz

PEEL
HERE

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

HAZARD CLASSIFICATIONS

Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



TOXICITY

WARNING Suspected of damaging fertility or the unborn child. May cause damage to the endocrine system from repeated oral exposure at high doses.

ECOTOXICITY

WARNING Very toxic to aquatic organisms and with long-lasting effects. Harmful to terrestrial vertebrates.

Do not apply directly onto or into water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER

This product must be used under the personal control of suitably qualified handler during mixing, loading and application.

RECORD KEEPING

Records of use, as described in the relevant HSNO regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept if using more than 3kg of **Turbostar 430SC** within 24 hours in a place where the product is likely to enter air or water and leave the application area.

PERSONAL PROTECTION

When handling wear eye protection, waterproof gloves, boots and overalls. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protection clothing and equipment daily after use.

STORAGE

Store in original container tightly closed away and in a secure, dry, cool area, well away from foodstuffs, feedstock, fertilisers and seeds. Storage must be in accordance with the current version of New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing 100 L or more require secondary containment, signage and an emergency response plan.

Shelf Life When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SPILLAGE

Collect spillage. Wear appropriate protective clothing to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste labelled containers. Wash area with water and alkaline detergent then absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Do not contaminate any water supply with product or used container

Product – Dispose of this product by using according to the label or at an approved facility.

Container - Triple rinse empty containers with water and add rinsate to spray tank. Recycle empty container at an approved recycling facility. Otherwise crush or puncture and bury in a suitably approved landfill. Do NOT use the container for any other purpose.

FIRST AID

If exposed or concerned, get medical advice. For advice contact the National Poisons Centre (0800 764 766) or call a doctor. If swallowed, do NOT induce vomiting. Rinse mouth. If splashed in the eyes, rinse cautiously with water for several minutes. Remove contact lenses if present an easy to do. Continue rinsing. If irritation persists, get medical advice. If skin or hair contact, remove contaminated clothing and wash skin and hair with running water. Get medical advice if skin irritation persists. If inhaled move person to fresh air immediately and keep at rest in position comfortable for breathing. Get medical advice if person feels unwell.

HANDLING PRECAUTIONS

Equipment Apply using accurately calibrated and maintained equipment in accordance with

the New Zealand Standard for the Management of Agrichemicals (NZS8409).

Mixing Before opening the container, shake the contents several times. For large containers, roll and invert drum several times to ensure the formulation is evenly mixed. Add the required amount of **Turbostar 430SC** to the half filled spray tank. Add the remainder of the water and agitate thoroughly when mixing, spraying or restarting after a stoppage. Do not leave spray mix in sprayer overnight.

Cleaning Flush equipment thoroughly with clean water after use. If the spray unit which has applied **Turbostar 430SC** is to be used for the application of other chemicals to sensitive crops, ensure the unit is completely decontaminated.

Compatibility **Turbostar 430SC** is compatible with most commonly used insecticides and fungicides.

Resistance Management

GROUP 03 FUNGICIDE

Turbostar 430SC contains a fungicide from the triazole group of fungicides and has the DM1 (Demethylation Inhibitors) mode of action. Resistance to this fungicide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any fungus listed on the label. Refer to www.resistance.nzpps.org for further resistance management advice.

CONDITIONS OF SALE

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P9962

See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval Code HSR007675.

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
CALL 0800 POISON
(0800 764 766)

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: AGROBEATS TECH CO., LTD
C-47, No 69, Shuangfeng Road, Pukou Economic Development Zone,
Pukou District, Nanjing, P R China 210031

NZ Agent: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
www.agstar.co.nz

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz