

W140mm x H140mm 正面标贴
Carpenter 400 5L

G 0	K 0	G 0	G 59
W 0	R 0	R 0	Y 0
Y 0	Y 0	Y 0	Y 100
K 30	K 90	K 100	K 0

WARNING

KEEP OUT OF REACH OF CHILDREN
ECOTOXIC
FOR USE IN WORKPLACES ONLY

AgSta 

Carpenter 400

HERBICIDE

ACTIVE INGREDIENT

Contains **400g/L carfentrazone-ethyl**
in the form of an emulsifiable concentrate

A herbicide to tank mix with cereal and grass seed herbicides to extend the weed spectrum and to improve control of certain weeds. For use in a mixture with a knockdown herbicide to improve the knockdown and control of hard to kill weeds including mallows

Net contents: 5 L



9 421038 710845 >



AGRECOVERY

PEEL
HERE

Batch No.
Date of Manufacture.
For more information, find us at www.agstar.co.nz

READ LABEL CAREFULLY BEFORE OPENING AND USING

HAZARD CLASSIFICATIONS

Flammable liquid, Category 4; Acute oral toxicity, Category 4; Eye irritation, Category 2; Specific target organ toxicity (repeated), Category 2; Hazardous to the aquatic environment (acute), Category 1, Hazardous to soil organisms.



FLAMMABILITY Combustible liquid. Keep away from sources of ignition.

TOXICITY Harmful if swallowed. Causes serious eye irritation. May cause liver damage from repeated oral exposure at high doses.

ECOTOXICITY Very toxic to aquatic life and to the soil environment. Do not apply directly into or onto water. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER This product must be under the control of a suitably approved qualified handler during mixing, loading and use.

RECORD KEEPING If 3 kg or more is applied within 24 hours, in places where the product is likely to enter air or water and leave the application area, a written record is to be kept for each application.

HANDLING PRECAUTIONS

PERSONAL PROTECTION When mixing or applying, wear protective clothing, gloves and goggles. Do not eat drink or smoke while using. Wash hands and face before rest breaks, meals and after work. Wash protective clothing after work.

STORAGE Store locked up in the closed, original container in a cool, well-ventilated area away from food and feedstuffs. Do not store for prolonged periods in direct sunlight. Storage must be in accordance with the current version of the New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing quantities 100 L or more require signage, secondary containment and an emergency response plan.

SPILLAGE AND DISPOSAL Avoid contamination of any water supply with chemical or empty container. Collect spill. Do not allow product to enter sewers, drains, creeks or any other waterways. Keep animals and unauthorized persons away. Wear personal protective equipment. Contain spillage with inert material such as dry soil, sand or clay. Collect into labelled container that can be sealed. Decontaminate tools and equipment and also dispose of any washings as hazardous waste. Dispose of all waste according to local Regional Council regulations.

Product Disposal Ensure unwanted product is used strictly in accordance with this label or disposed of as hazardous waste.

Container Disposal Triple rinse container with water and add washings to spray tank. Recycle through an approved collection service. Otherwise crush and bury in suitable landfill. DO NOT reuse this container for any other purpose.

FIRST AID If swallowed do NOT induce vomiting. Rinse mouth. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation persists, get medical advice. If in eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice if eye irritation

persists. If inhaled move the victim to fresh air immediately and keep at rest in position comfortable for breathing. Begin artificial respiration if breathing has stopped and get immediate medical assistance.

EMERGENCY RESPONSE

In a transport emergency call 111, Police or Fire Brigade.

RESISTANCE MANAGEMENT

GROUP 14 HERBICIDE

Carpenter 400 contains carfentrazone-ethyl, which belongs to the inhibition of protoporphyrinogen oxidase (PPO) chemical group. Some naturally occurring weeds may become resistant when excessive use of the same herbicide occurs. To prevent or delay the development of resistance, use in tank mixes and/or rotate use with herbicides with a different mode of action. Consult <http://resistance.nzpps.org/index.php> for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10235

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSNO Act 1996, HSR101078

See www.epa.govt.nz for Controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant:

AgStar New Zealand Pty Ltd

4 Putakitaki Street, Lincoln, 7608

Distributed by:

Farmlands Co-operative Society Limited

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz