

1. Identification of Substance & Company

Product

Product name	Long term Weedinator
Other names	350g/L terbutylazine, 60g/L amitrole, 15 g/L oxyfluorfen and 100g/L glyphosate as a suspension concentrate.
Product code	not assigned
ACVM registration number	exempt from registration
HSNO approval	HSR007866
Approval description	TNL 2347
UN number	3082
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (terbutylazine 35%, oxyfluorfen 1.5%)
DG class	9
Packaging group	III
Hazchem code	3Z
Uses	Fast acting knockdown & residual herbicide for total vegetation control in non-cropland and waste areas.

Company Details – Importer

Company	AgStar New Zealand Pty Ltd
Address	4 Putakitaki Street, Lincoln, Christchurch 7608 New Zealand
Telephone	027 483 9755

Company Details – Distributor

Company	Farmlands Co-operative Society Limited
Address	535 Wairakei Road, Burnside, Christchurch 8053
Telephone	0800 200 600

24h EMERGENCY CONTACT: 0800 243 622 (0800 CHEMCALL)
NATIONAL POISON CENTRE: 0800 764 766

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR007866, TNL 2347). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Eye irritant category 2
Reproductive toxicity category 2
STOT repeated exposure category 2
Chronic aquatic category 1
Acute aquatic category 1
Hazardous to soil organisms
Hazardous to terrestrial vertebrates

Hazard Statements

H319 - Causes serious eye irritation.
H361 - Suspected of damaging fertility or the unborn child.
H373 - May cause damage to organs through prolonged or repeated exposure.
H410 - Very toxic to aquatic life with long lasting effects.
H400 - Very toxic to aquatic life.
H421 - Very toxic to the soil environment.
H433 - Harmful to terrestrial vertebrates.

SYMBOLS

WARNING



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

Prevention	P103 - Read label before use. P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P281 - Use personal protective equipment as required.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P308+P313 - IF exposed or concerned: Get medical advice/ attention. P309+P311 - IF exposed or if you feel unwell: Call a POISON CENTRE or doctor/physician. P391 - Collect spillage.
Storage	P405 - Store locked up.
Disposal	P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

Additional labelling recommendation

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.
Do not apply directly into or onto water.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Terbutylazine	5915-41-3	35%
Amitrole	61-82-5	6%
Benzene, 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)-	42874-03-3	1.5%
Glyphosate isopropylamine	38641-94-0	10%
ingredients not contributing to GHS classes	mixture	balance

This is a commercial product whose exact ratio of components may vary slightly. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid facilities Ready access to running water is recommended. Accessible eyewash is recommended.

Exposure

Swallowed IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Give a glass of water to drink.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact This product is non-irritating to skin. No further measures should be required.
Inhaled Generally, inhalation of fumes/vapours/dusts is unlikely to result in adverse health effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for transport and contact a doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards:	There are no specific risks for fire/explosion for this chemical. It is non-flammable.
Suitable extinguishing substances:	Carbon dioxide, extinguishing powder, foam.
Unsuitable extinguishing substances:	Unknown.
Products of combustion:	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
Protective equipment:	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
Hazchem code:	3Z

6. Accidental Release Measures

Containment	If greater than 100L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
Emergency procedures	In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately). Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
Clean-up method	Mop up and collect recoverable material into labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all regulations.
Disposal	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.
Precautions	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

7. Storage & Handling

Storage	Store locked up. Avoid storage of harmful substances with food. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10.
Handling	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements. Avoid skin and eye contact and inhalation of vapour, mist or aerosols.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	WES-STEL
	Amitrole	0.2mg/m ³	not established

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General	Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or
----------------	--

Eyes



where all other means of protection have proven to inadequate. Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken. Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible. Select eye protection in accordance with AS/NZS 1337.

Skin

If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use.

Respiratory

A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge and a dust/mist filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

WES Additional Information

Not applicable

9. Physical & Chemical Properties

Appearance	Light brown liquid
Odour	slight
Odour Threshold	not known
pH	3.5 - 4.5 (1% aqueous)
Freezing/melting point	no data
Boiling Point	no data
Flashpoint	no data
Flammability	no data
Upper & lower flammable limits	no data
Vapour pressure	no data
Vapour density	no data
Specific gravity/density	1.03 - 1.06
Solubility	miscible in water
Partition coefficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	no data
Particle Characteristics	no data

10. Stability & Reactivity

Stability	Stable
Conditions to be avoided	Containers should be kept closed in order to avoid contamination. Keep from extreme heat and open flames.
Incompatible groups	Strong acids, strong alkalis, strong oxidisers.
Substance Specific Incompatibility	none known
Hazardous decomposition products	Thermal decomposition products may include oxides of carbon, oxides of nitrogen and toxic fumes.
Hazardous reactions	none known

11. Toxicological Information

Summary

IF IN EYES: may cause serious eye irritation.

CHRONIC TOXICITY: may cause damage to organs through prolonged or repeated exposure. Suspected of damaging fertility or the unborn child.

Supporting Data

Chronic	Acute	Oral	Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is >2,000 mg/kg. Data considered includes: Terbutylazine 1503mg/kg (rat), Glyphosate isopropylamine 3800mg/kg (rat)
	Aspiration	Dermal	This mixture is not considered an aspiration hazard.
	Inhaled		Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture is >2,000 mg/kg. Glyphosate isopropylamine >2000mg/kg (rat).
	Eye		Using LD ₅₀ 's for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the mixture is >5mg/L/4h.
	Skin		The mixture is considered to be an eye irritant, because some of the ingredients present are considered eye irritants in more concentrated form.
	Sensitisation		The mixture is not considered to be a skin irritant.
	Mutagenicity		No ingredient present at concentrations > 0.1% is considered a sensitizer.
	Carcinogenicity		No ingredient present at concentrations > 0.1% is considered a mutagen.
	Reproductive / Developmental		No ingredient present at concentrations > 0.1% is considered a carcinogen.
	Systemic		The mixture is considered to be a suspected reproductive or developmental toxicant, because at least one of the ingredients present in greater than 0.1% is suspected to be a reproductive or developmental toxicant.
	Aggravation of existing conditions		The mixture is considered to be a suspected target organ toxicant, because at least one of the ingredients present in greater than 1% is suspected to be a target organ toxicant.
			None known.

12. Ecological Data

Summary

This product is classified as being very toxic to aquatic life with long lasting effects, toxic to the soil environment and harmful to terrestrial vertebrates. In all cases prevent run-off to drains, sewers and waterways.

Supporting Data

Aquatic	Aquatic	Using EC ₅₀ 's for ingredients, the calculated EC ₅₀ for the mixture is <1 mg/L. Data considered includes:
	Terbutylazine	0.109mg/L (96h, Mysidopsis bahia), 0.0032mg/L (5 day, <i>Selenastrum capricornutum</i>), 3.4mg/L (96hr, rainbow trout),
	Amitrole	1.54mg/L (48hr, <i>Daphnia magna</i>), 2.3mg/L (96h, <i>Scenedesmus subspicatus</i> (Algae)), 65mg/L (96h, rainbow trout),
	Benzene, 2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)-	LC ₅₀ : 1.5mg/L (48h, <i>Daphnia magna</i>), 0.2mg/L (96h, Bluegill sunfish), EC ₅₀ : 5.04mg/L (96h, <i>Scenedesmus acutus</i>),
	Glyphosate isopropylamine	Acute: 1.2mg/L (96hr, <i>Skeletonema costatum</i> (diatom)). Chronic: EC ₅₀ 0.77ppm (7 days, Marine diatom), Acute: 45mg/L (96hr, Bluegill sunfish), Chronic: NOEC 52mg/L (Salmo gairdnerii).
	Bioaccumulation	No data
	Degradability	No data
	Soil	EPA has classified the mixture as highly ecotoxic to the soil environment.
Terrestrial vertebrate	Terrestrial vertebrate	The mixture has been classified by EPA as harmful to terrestrial vertebrates.
	Terrestrial invertebrate	EPA has not classified the mixture as ecotoxic to terrestrial invertebrates.
	Biocidal	no data

13. Disposal Considerations

Restrictions

There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.

Disposal method

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.

Contaminated packaging

Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible reuse or recycle packaging.

14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2020

There are no specific restrictions for this product (not a dangerous good).

UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (terbutylazine 35%, oxyfluorfen 1.5%)
Class(es) Precautions:	9 Marine Pollutant	Packing group: Hazchem code:	III 3Z
IMDG UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (terbutylazine 35%, oxyfluorfen 1.5%)
Class(es) Precautions:	9 Marine Pollutant	Packing group: EMS	III F-A, S-F
IATA UN number:	3082	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (terbutylazine 35%, oxyfluorfen 1.5%)
Class(es) Precautions:	9 Marine Pollutant	Packing group:	III

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR007866, TNL 2347. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

Specific Controls

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 100L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 100L is stored.
Signage	Required if > 100L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

ACVM registration number: exempt from registration.

16. Other Information

Abbreviations

Approval Code	Approval HSR007866, TNL 2347 Controls, EPA. www.epa.govt.nz
CAS Number	Unique Chemical Abstracts Service Registry Number
EC₅₀	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
EPA	Environmental Protection Authority (New Zealand)
GHS	Globally Harmonised System of Classification and Labelling of Chemicals, 7 th revised edition, 2017, published by the United Nations.
HAZCHEM Code	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
HSNO	Hazardous Substances and New Organisms (Act and Regulations)
IARC	International Agency for Research on Cancer
LEL	Lower Explosive Limit
LD₅₀	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
LC₅₀	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
NZIoC	New Zealand Inventory of Chemicals
STEL	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
STOT RE	System Target Organ Toxicity – Repeated Exposure
STOT SE	System Target Organ Toxicity – Single Exposure
TWA	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
UEL	Upper Explosive Limit
UN Number	United Nations Number
WES	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the worker's breathing zone.

References

Data	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID).
Controls	EPA notices, www.epa.govt.nz , Health and Safety at Work (Hazardous Substances) Regulations 2017, www.legislation.govt.nz
WES	The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available on their web site – www.worksafe.govt.nz .
Other References:	Suppliers SDS

Review

Date	Reason for review
December 2025	Not applicable - New SDS

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely GHS 7 classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

