

140 mm x 140 mm agstar Metamax 600 2KG 桶前标贴

Keep out of reach of children



Metamax 600 WG

HERBICIDE

For the control of brushweeds
including gorse, broom and blackberry.
Also controls other woody weeds and
broadleaf weeds

ACTIVE INGREDIENT:

Contains 600 g/kg metsulfuron-methyl in the form
of a water dispersible granule.

Net contents: 2 KG



9 421038 710746 >



PEEL
HERE**PLEASE READ THE LABEL COMPLETELY BEFORE USE****HAZARD CLASSIFICATION**

Eye irritation Category 2, Hazardous to soil organisms, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

TOXICITY

WARNING – Causes serious eye irritation.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Hazardous to the soil environment.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER

This product must be under the control of qualified person during mixing, handling and applying. A person must not apply or otherwise use **Metamax 600WG** onto or into water, unless that person first obtains a permission from the Authority under section 95A of the Hazardous Substances and New Organisms Act 1996.

RECORD-KEEPING Records of use are required when 3 kg or more is applied within a 24 hour period in an application area where the substance is likely to enter air or water and leave the application area.

PRECAUTIONS

When mixing or applying, wear eye protection, waterproof gloves, boots and cotton overalls. Avoid contact with skin, eyes and inhalation of spray mist. Wash hands and face before rest breaks, meals and after work. Do not eat, drink or smoke while using. Wash protective clothing and equipment before re-use.

STORAGE Store securely in the original container, tightly closed and away from foodstuffs, seeds, fertilisers, insecticides or fungicides. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Storage of 100kg or more requires signage, secondary containment and an emergency response plan.

SPILLAGE When dealing with spills wear personal protective clothing and equipment. Contain spillage. Collect in labeled, sealed drums for safe disposal. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

DISPOSAL Do not contaminate environment with product or container.

Product disposal - If possible dispose of by using according to the label, otherwise dispose of in an approved landfill.

Container disposal - Ensure container is completely empty. Dispose of to an agricultural recycling service or bury in suitable landfill.

FIRST AID If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if person feels unwell.

If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists, get medical attention.

If skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and running water.

If skin irritation persists, get medical attention.

If inhaled, immediately move to fresh air and rest. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth.

For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately.

TRANSPORT EMERGENCY call 111 for Police or Fire Brigade.

GENERAL DIRECTIONS

Best results are obtained when weeds are not under stress.

MIXING

Add the required quantity of **Metamax 600WG** to spray tank partly filled with water and maintain agitation while filling with remainder of water and when spraying.

CLEANING

Spray equipment must be completely decontaminated before use on sensitive crops. Drain equipment completely then flush thoroughly with water. Refill with clean water, add 1 litre of 3% chlorine bleach, flush thoroughly for 10 minutes and drain. Repeat the flush with bleach. Finally rinse with clean water. Nozzles and filters should be cleaned separately.

RESISTANT WEEDS WARNING

GROUP	2	HERBICIDE
-------	---	-----------

Naturally occurring weed biotypes resistant to **Metamax 600WG** and other sulfonylurea herbicides may exist. These resistant weeds will not be controlled by **Metamax 600WG** and may become dominant in that field. To prevent or delay the development of resistant weeds use cultural practices such as tillage preventing weed escapes going to seed, and herbicides with different modes of action against the weed. Consult <http://resistance.nzpps.org/> for alternate modes of action and the details of resistance management strategies (if any).

CONDITIONS OF SALE

The use of **Metamax 600WG** being beyond the control of the suppliers, no Warranty expressed or implied is given by AGROBEATS TECH CO., LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not, and AGROBEATS TECH CO., LTD accept no responsibility whatsoever resulting from the use of this product.

Registered pursuant to the ACVM Act 1997, No. P9989

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSNO Act 1996, HSR000242

See www.epa.govt.nz for Controls.

Metamax 600WG is a tradename of AGROBEATS TECH CO., LTD

Registrant: AGROBEATS TECH CO., LTD

C-47, No.69, Shuangfeng Road,

Pukou Economic Development Zone, Pukou District, Nanjing, P.R. China

NZ Agent: AgStar New Zealand Pty Ltd



Batch No.

Date of Manufacture

For more information, find us at www.agstar.co.nz

PLEASE READ THE LABEL COMPLETELY BEFORE USE

HAZARD CLASSIFICATION

Eye irritation Category 2, Hazardous to soil organisms, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

TOXICITY

WARNING – Causes serious eye irritation.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Hazardous to the soil environment.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

QUALIFIED HANDLER

This product must be under the control of qualified person during mixing, handling and applying. A person must not apply or otherwise use **Metamax 600WG** onto or into water, unless that person first obtains a permission from the Authority under section 95A of the Hazardous Substances and New Organisms Act 1996.

RECORD-KEEPING Records of use are required when 3 kg or more is applied within a 24 hour period in an application area where the substance is likely to enter air or water and leave the application area.

PRECAUTIONS

When mixing or applying, wear eye protection, waterproof gloves, boots and cotton overalls. Avoid contact with skin, eyes and inhalation of spray mist. Wash hands and face before rest breaks, meals and after work. Do not eat, drink or smoke while using. Wash protective clothing and equipment before re-use.

STORAGE Store securely in the original container, tightly closed and away from foodstuffs, seeds, fertilisers, insecticides or fungicides. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Storage of 100kg or more requires signage, secondary containment and an emergency response plan.

SPILLAGE When dealing with spills wear personal protective clothing and equipment. Contain spillage. Collect in labeled, sealed drums for safe disposal. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

DISPOSAL Do not contaminate environment with product or container.

Product disposal - If possible dispose of by using according to the label, otherwise dispose of in an approved landfill.

Container disposal - Ensure container is completely empty. Dispose of to an agricultural recycling service or bury in suitable landfill.

FIRST AID If swallowed do NOT induce vomiting. Rinse mouth. Get medical advice if person feels unwell.

If splashed in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

If eye irritation persists, get medical attention.

If skin or hair contact occurs, remove contaminated clothing and wash affected area with soap and running water.

If skin irritation persists, get medical attention.

If inhaled, immediately move to fresh air and rest. Begin artificial respiration if the victim is not breathing. Use mouth to nose rather than mouth to mouth.

For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor immediately.

TRANSPORT EMERGENCY call 111 for Police or Fire Brigade.

GENERAL DIRECTIONS

Best results are obtained when weeds are not under stress.

MIXING

Add the required quantity of **Metamax 600WG** to spray tank partly filled with water and maintain agitation while filling with remainder of water and when spraying.

CLEANING

Spray equipment must be completely decontaminated before use on sensitive crops. Drain equipment completely then flush thoroughly with water. Refill with clean water, add 1 litre of 3% chlorine bleach, flush thoroughly for 10 minutes and drain. Repeat the flush with bleach. Finally rinse with clean water. Nozzles and filters should be cleaned separately.

RESISTANT WEEDS WARNING

GROUP	2	HERBICIDE
-------	---	-----------

Naturally occurring weed biotypes resistant to **Metamax 600WG** and other sulfonylurea herbicides may exist. These resistant weeds will not be controlled by **Metamax 600WG** and may become dominant in that field. To prevent or delay the development of resistant weeds use cultural practices such as tillage preventing weed escapes going to seed, and herbicides with different modes of action against the weed. Consult <http://resistance.nzpps.org/> for alternate modes of action and the details of resistance management strategies (if any).

CONDITIONS OF SALE

The use of **Metamax 600WG** being beyond the control of the suppliers, no Warranty expressed or implied is given by AGROBEATS TECH CO., LTD regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not, and AGROBEATS TECH CO., LTD accept no responsibility whatsoever resulting from the use of this product.

Registered pursuant to the ACVM Act 1997, No. P9989

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSNO Act 1996, HSR000242

See www.epa.govt.nz for Controls.

Metamax 600WG is a tradename of AGROBEATS TECH CO., LTD

Registrant: AGROBEATS TECH CO., LTD

C-47, No.69, Shuangfeng Road,

Pukou Economic Development Zone, Pukou District, Nanjing, P.R. China

NZ Agent: AgStar New Zealand Pty Ltd

AgSta 

Batch No.

Date of Manufacture

For more information, find us at www.agstar.co.nz