

WARNING
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC



Forestar Duo

425 + 75 SC

HERBICIDE

ACTIVE INGREDIENT

425 g/L Terbutylazine and **75 g/L Hexazinone**
in the form of a suspension concentrate.

A selective herbicide for the control of weeds in forestry and as a non-selective, residual herbicide in non-cropland and industrial situations.

Not to be applied to pasture or cropland that may be grazed by food-producing animals

Net contents: 20 L



9 421038 710340 >



READ LABEL COMPLETELY BEFORE OPENING AND USING PRODUCT
SHAKE OR STIR WELL BEFORE USE

HAZARD CLASSIFICATIONS

Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



TOXICITY

WARNING Causes serious eye irritation. May cause organ damage from repeated oral exposure

ECOTOXICITY

Very toxic to aquatic organisms with long lasting effects. Very toxic to the soil environment.
Take all reasonable steps to ensure that the product does not cause any significant adverse effects to the environment beyond the application area.
BEWARE Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow drift to occur outside the target area.
Not to be applied directly onto or into water.

QUALIFIED HANDLER

This product must be under the control of an appropriately trained qualified handler during mixing, loading and use.

RECORD KEEPING

A written record of use must be kept if using 3 kg or more of **Forestar Duo 425 + 75 SC** is applied to an application area within 24 hours and the substance is likely to enter air or water and leave the application area.

HANDLING PRECAUTIONS
PERSONAL PROTECTION

Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Do not eat, drink or smoke while using.
Remove protective clothing and wash hands and face thoroughly before meals and after work.
Wash protective clothing and equipment after use.

STORAGE

Keep out of reach of children. Store in the original container, tightly closed, in a locked cool, dry and well-ventilated area away from feed or foodstuffs. Avoid storage at temperatures below 5oC and above 35oC. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals.
Stores containing 100 L or more of **Forestar Duo 425 + 75 SC** are subject to signage, secondary containment and an emergency response plan.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. Collect spill. Absorb small spills or residues I with inert material such as soil, sand or absorbent. Transfer into a labelled waste container that can be sealed. Wash area with water and detergent and absorb with further inert material. Dispose of safely to an approved landfill.

Emergency Response

In a transport emergency call 111, Police or Fire Brigade.

DISPOSAL

Avoid contamination of any water supply with product or empty container.
Container Disposal Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an agricultural recycling facility for recycling. Alternatively, puncture and bury in a suitable landfill.
Product Disposal Dispose of this product only by using according to the label directions or through an agrichemical recycling service or other approved facility.

FIRST AID

For advice or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or doctor immediately.

If swallowed do NOT induce vomiting. Rinse mouth. If in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. Get medical advice if irritation persists. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult, get immediate medical advice.

RESISTANT WEEDS WARNING

GROUP	5	HERBICIDE
-------	---	-----------

Forestar Duo 425 + 75 SC contains a triazine herbicide and a triazinone herbicide which belong to the 5 group of herbicides with the inhibition of photosynthesis at photosystem II mode of action. Naturally occurring biotypes resistant to triazine herbicides are known to exist such as fathen, willow weed and black nightshade. These resistant weeds will not be controlled by **Forestar Duo 425 + 75 SC** or any other GROUP 5 type herbicide. To delay or prevent the development of resistant weeds, use **Forestar Duo 425 + 75 SC** in tank mixes where appropriate, and or rotate with an effective herbicide of a different mode of action.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Approval pursuant to the HSNO Act 1996, Approval Code HSR000492
See www.epa.govt.nz for approval controls.

**24 HOUR
EMERGENCY CONTACT**

CALL 0800 243 622

NATIONAL POISONS CENTRE

**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY

CALL 111

POLICE OR FIRE BRIGADE



Supplier: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.
Date of Manufacture.
For more information, find us at www.agstar.co.nz

PEEL
HERE

**READ LABEL COMPLETELY BEFORE OPENING AND USING PRODUCT
SHAKE OR STIR WELL BEFORE USE**

HAZARD CLASSIFICATIONS

Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to soil organisms, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.



TOXICITY

WARNING Causes serious eye irritation. May cause organ damage from repeated oral exposure

ECOTOXICITY

Very toxic to aquatic organisms with long lasting effects. Very toxic to the soil environment.
Take all reasonable steps to ensure that the product does not cause any significant adverse effects to the environment beyond the application area.
BEWARE Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow drift to occur outside the target area.
Not to be applied directly onto or into water.

QUALIFIED HANDLER

This product must be under the control of an appropriately trained qualified handler during mixing, loading and use.

RECORD KEEPING

A written record of use must be kept if using 3 kg or more of **Forestar Duo 425 + 75 SC** is applied to an application area within 24 hours and the substance is likely to enter air or water and leave the application area.

**HANDLING PRECAUTIONS
PERSONAL PROTECTION**

Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or applying, wear overalls, boots, gloves and eye protection. Do not eat, drink or smoke while using.
Remove protective clothing and wash hands and face thoroughly before meals and after work.
Wash protective clothing and equipment after use.

STORAGE

Keep out of reach of children. Store in the original container, tightly closed, in a locked cool, dry and well-ventilated area away from feed or foodstuffs. Avoid storage at temperatures below 5oC and above 35oC. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals.
Stores containing 100 L or more of **Forestar Duo 425 + 75 SC** are subject to signage, secondary containment and an emergency response plan.

SPILLAGE

Exclude non-essential people from the area. Wear protective clothing and prevent material from entering waterways. Collect spill. Absorb small spills or residues I with inert material such as soil, sand or absorbent. Transfer into a labelled waste container that can be sealed. Wash area with water and detergent and absorb with further inert material. Dispose of safely to an approved landfill.

Emergency Response

In a transport emergency call 111, Police or Fire Brigade.

DISPOSAL

Avoid contamination of any water supply with product or empty container.
Container Disposal Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an agricultural recycling facility for recycling. Alternatively, puncture and bury in a suitable landfill.
Product Disposal Dispose of this product only by using according to the label directions or through an agrichemical recycling service or other approved facility.

FIRST AID

For advice or if you feel unwell, contact the National Poisons Centre 0800 POISON (0800 764 766) or doctor immediately.

If swallowed do NOT induce vomiting. Rinse mouth. If in eyes, wash out immediately with running water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If skin or hair contact occurs, remove contaminated clothing and wash with soap and running water. Get medical advice if irritation persists. If inhaled, immediately move to fresh air and rest. Maintain half upright position if breathing is difficult, get immediate medical advice.

RESISTANT WEEDS WARNING

GROUP	5	HERBICIDE
-------	---	-----------

Forestar Duo 425 + 75 SC contains a triazine herbicide and a triazinone herbicide which belong to the 5 group of herbicides with the inhibition of photosynthesis at photosystem II mode of action. Naturally occurring biotypes resistant to triazine herbicides are known to exist such as fathen, willow weed and black nightshade. These resistant weeds will not be controlled by **Forestar Duo 425 + 75 SC** or any other GROUP 5 type herbicide. To delay or prevent the development of resistant weeds, use **Forestar Duo 425 + 75 SC** in tank mixes where appropriate, and or rotate with an effective herbicide of a different mode of action.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Approval pursuant to the HSNO Act 1996, Approval Code HSR000492
See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE



Supplier: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608
Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.
Date of Manufacture.
For more information, find us at www.agstar.co.nz