


W185mm x H210mm 正面标贴
Defeat 800 20L



DANGER

Keep out of reach of children
Read label before use
FOR USE ONLY IN WORKPLACES

AgSta 

Defeat 800

INSECTICIDE

ACTIVE INGREDIENT

Contains **800 g/L diazinon**
in the form of an emulsifiable concentrate.

Also contains **148 g/L petroleum naphtha solvent.**

Contains an organophosphate compound
Controls insect pests in pasture and other crops

Net contents: 20 L



9 421038 710791 >



READ LABEL BEFORE USE

HAZARD CLASSIFICATIONS

Flammable liquid Category 4, Acute oral toxicity Category 4, Acute dermal toxicity Category 4, Acute inhalation toxicity Category 4, Eye irritation Category 2, Aspiration toxicant Category 1, Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



QUALIFIED HANDLER

This product must be under the control of a suitably qualified handler or secured.

RECORD KEEPING:

Records of use, as described in the relevant HSN0 regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept of each application of **Defeat 800**. This record must include the product name, date and time of each application, amount of substance applied, location where the substance was applied, wind speed and direction and electronic data files indicating the application area (if applied by air), and details of measures taken to ensure no adverse effects beyond the boundary of the application area.

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

TOXICITY

DANGER – May be fatal if swallowed and enters airways.

Harmful if swallowed, inhaled or absorbed through the skin. Causes serious eye irritation. Causes damage to the nervous system from repeated oral exposure at high doses. May cause reproductive/development damage from repeated oral exposure.

FLAMMABILITY

Combustible liquid and vapour. Keep away from sources of ignition.

ECOTOXICITY

Very toxic to aquatic organisms and with long lasting effects. Do not apply onto or into water. Toxic to the soil environment. Very toxic to terrestrial vertebrates and terrestrial invertebrates. Very toxic to bees. Do not apply this product to any plant or tree likely to be visited by bees: at the time of application; or immediately after application until spray has dried; or in areas where bees are foraging.

HANDLING PRECAUTIONS

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

STORAGE

Do not store or use near heat or flame. Store in original container tightly closed and in a locked, dry, cool, dark area away from sources of ignition and foodstuffs. Do not allow water to enter this container. Do not rinse the lid with water. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Do not store with Class 1, 2, 3.2, 4, 5 substances or foodstuffs. Stores containing 100 litres or more of **Defeat 800** require secondary containment, signage, and an emergency response plan. Stores containing 500 litres must have at least two fire extinguishers.

SHELF LIFE

The toxicity of this diazinon product may increase markedly over time. DO NOT use this product if it is out-of-date.

PERSONAL PROTECTION

Use only outdoors or in well-ventilated area. Avoid skin and eye contact and inhalation of spray mist. When mixing or applying or entering an application area within the re-entry interval, wear eye protection, chemically resistant gloves, boots with socks, chemically resistant coveralls and headgear for overhead exposures. Wear an organic type respirator. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before rest breaks or meals and after work. Wash protective clothing daily after work and separate from household laundry.

EQUIPMENT

Apply using accurately calibrated and well-maintained equipment.

SPILLAGE

Contain and collect spillage. Wear appropriate protective clothing and equipment. Extinguish or isolate all ignition sources, exclude all bystanders from the vicinity of the spill and prevent material from entering waterways and coming into contact with Class 1, 2.1, 2.3, 4.2, 5.1, 5.2 or 7 substances. Absorb spills with an inert material and place in waste containers. Wash area with water and detergent and absorb with further inert material. Dispose of waste safely in an approved landfill.

DISPOSAL

Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of product only by using according to the label, or through an agrichemical disposal facility. Do not burn.

Container Disposal -Triple rinse empty container and add rinsate to spray tank. Send to agrichemical recycling facility or crush and bury in suitable landfill. Disposal by incineration may be possible if local regulations and wind direction permit.

FIRST AID

If exposed or concerned get medical advice. If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. IF ON SKIN: Take off all contaminated clothing. Wash with plenty of soap and water. Get medical advice if person feels unwell. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice if person feels unwell.

Safety Data Sheet: A safety data sheet is available from the supplier.

NOTIFICATION OF APPLICATION:

A person applying the substance in a wide dispersive manner must: give written notice to anyone likely to be directly affected (such as owners and occupiers of land, property, buildings or houses immediately

next to the application area), ensure the notification is given at least two working days before, but no more than four weeks before, each application of the product, and ensure the written notice includes: where the product will be applied, the date and approximate duration of each application, the steps that notified parties should take to avoid exposure, the name of the organisation/s applying the product, and contact details for the person in charge of the application (phone, email or postal address, including a contact number for immediate contact during application).

Mixing and Compatibility: Pour the correct quantity of **Defeat 800** into the partly filled spray tank. Agitate and add the remainder of the water. When using in combination with wettable powders or flowable suspensions always add **Defeat 800** last to the spray tank. Keep agitated whilst adding the remaining water. Compatible with most commonly used wettable powder fungicides and insecticides. Do not mix with copper compounds, Bordeaux mixture or lime sulphur.

Application restrictions:

Maximum application rate 2400 g diazinon/hectare (3 litres **Defeat 800**/ha) and apply no more than two times per crop cycle.

The person applying the substance must not cause adverse effects beyond the boundary of the treated property, and must also avoid adverse effects from spray drift occurring. Mitigation measures employed must be recorded as part of the application records.

If applied indoors, e.g. greenhouses, the product must be applied by automatic equipment.

Restricted Entry Interval (REI)

The person in charge is responsible for making sure no person enters the application area before the end of the REI.

Apples, pears	13 days
Cereals	13 days
Forage brassicas	14 days
Seed crops	18 days
Tomatoes	14 days

A person may only enter the indoor treated area if personal protective equipment including respiratory protection is worn as if they were applying the substance, and they are entering to carry out tasks associated with the ventilation of the building or building structure.

It is an offence to use this product off-label.

RESISTANCE WEED WARNING

GROUP	1	INSECTICIDE
-------	---	-------------

Resistance to this product may develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any insect pest listed on the label. Avoid using this insecticide exclusively all season and avoid unnecessary spraying. Maintain good cultural control practices. Consult <http://resistance.nzpps.org> for alternative modes of action and details of resistance management strategies (if any) for the pests listed on the label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants' control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10244

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSN0 Act 1996, HSR101016

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
CALL 0800 POISON
(0800 764 766)

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: **AgStar New Zealand Pty Ltd**
4 Putakitaki Street, Lincoln, 7608

Distributed by: **Farmlands Co-operative Society Limited**
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz

PEEL
HERE

READ LABEL BEFORE USE

HAZARD CLASSIFICATIONS

Flammable liquid Category 4, Acute oral toxicity Category 4, Acute dermal toxicity Category 4, Acute inhalation toxicity Category 4, Eye irritation Category 2, Aspiration toxicant Category 1, Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



QUALIFIED HANDLER

This product must be under the control of a suitably qualified handler or secured.

RECORD KEEPING:

Records of use, as described in the relevant HSN0 regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept of each application of **Defeat 800**. This record must include the product name, date and time of each application, amount of substance applied, location where the substance was applied, wind speed and direction and electronic data files indicating the application area (if applied by air), and details of measures taken to ensure no adverse effects beyond the boundary of the application area.

This product must not be used for any purpose, or in any manner, contrary to this label unless authorised under appropriate legislation.

TOXICITY

DANGER – May be fatal if swallowed and enters airways.

Harmful if swallowed, inhaled or absorbed through the skin. Causes serious eye irritation. Causes damage to the nervous system from repeated oral exposure at high doses. May cause reproductive/development damage from repeated oral exposure.

FLAMMABILITY

Combustible liquid and vapour. Keep away from sources of ignition.

ECOTOXICITY

Very toxic to aquatic organisms and with long lasting effects. Do not apply onto or into water. Toxic to the soil environment. Very toxic to terrestrial vertebrates and terrestrial invertebrates. Very toxic to bees. Do not apply this product to any plant or tree likely to be visited by bees: at the time of application; or immediately after application until spray has dried; or in areas where bees are foraging.

HANDLING PRECAUTIONS

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

STORAGE

Do not store or use near heat or flame. Store in original container tightly closed and in a locked, dry, cool, dark area away from sources of ignition and foodstuffs. Do not allow water to enter this container. Do not rinse the lid with water. Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Do not store with Class 1, 2, 3.2, 4, 5 substances or foodstuffs. Stores containing 100 litres or more of **Defeat 800** require secondary containment, signage, and an emergency response plan. Stores containing 500 litres must have at least two fire extinguishers.

SHELF LIFE

The toxicity of this diazinon product may increase markedly over time. DO NOT use this product if it is out-of-date.

PERSONAL PROTECTION

Use only outdoors or in well-ventilated area. Avoid skin and eye contact and inhalation of spray mist. When mixing or applying or entering an application area within the re-entry interval, wear eye protection, chemically resistant gloves, boots with socks, chemically resistant coveralls and headgear for overhead exposures. Wear an organic type respirator. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before rest breaks or meals and after work. Wash protective clothing daily after work and separate from household laundry.

EQUIPMENT

Apply using accurately calibrated and well-maintained equipment.

SPILLAGE

Contain and collect spillage. Wear appropriate protective clothing and equipment. Extinguish or isolate all ignition sources, exclude all bystanders from the vicinity of the spill and prevent material from entering waterways and coming into contact with Class 1, 2.1, 2.3, 4.2, 5.1, 5.2 or 7 substances. Absorb spills with an inert material and place in waste containers. Wash area with water and detergent and absorb with further inert material. Dispose of waste safely in an approved landfill.

DISPOSAL

Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of product only by using according to the label, or through an agrichemical disposal facility. Do not burn.

Container Disposal -Triple rinse empty container and add rinsate to spray tank. Send to agrichemical recycling facility or crush and bury in suitable landfill. Disposal by incineration may be possible if local regulations and wind direction permit.

FIRST AID

If exposed or concerned get medical advice. If medical advice is needed, have product container or label at hand. If exposed or concerned, get medical advice. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor IF SWALLOWED: Immediately call a POISON CENTRE or doctor. Do NOT induce vomiting. IF ON SKIN: Take off all contaminated clothing. Wash with plenty of soap and water. Get medical advice if person feels unwell. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical advice if person feels unwell.

Safety Data Sheet: A safety data sheet is available from the supplier.

NOTIFICATION OF APPLICATION:

A person applying the substance in a wide dispersive manner must: give written notice to anyone likely to be directly affected (such as owners and occupiers of land, property, buildings or houses immediately

next to the application area), ensure the notification is given at least two working days before, but no more than four weeks before, each application of the product, and ensure the written notice includes: where the product will be applied, the date and approximate duration of each application, the steps that notified parties should take to avoid exposure, the name of the organisation/s applying the product, and contact details for the person in charge of the application (phone, email or postal address, including a contact number for immediate contact during application).

Mixing and Compatibility: Pour the correct quantity of **Defeat 800** into the partly filled spray tank. Agitate and add the remainder of the water. When using in combination with wettable powders or flowable suspensions always add **Defeat 800** last to the spray tank. Keep agitated whilst adding the remaining water. Compatible with most commonly used wettable powder fungicides and insecticides. Do not mix with copper compounds, Bordeaux mixture or lime sulphur.

Application restrictions:

Maximum application rate 2400 g diazinon/hectare (3 litres **Defeat 800**/ha) and apply no more than two times per crop cycle.

The person applying the substance must not cause adverse effects beyond the boundary of the treated property, and must also avoid adverse effects from spray drift occurring. Mitigation measures employed must be recorded as part of the application records.

If applied indoors, e.g. greenhouses, the product must be applied by automatic equipment.

Restricted Entry Interval (REI)

The person in charge is responsible for making sure no person enters the application area before the end of the REI.

Apples, pears	13 days
Cereals	13 days
Forage brassicas	14 days
Seed crops	18 days
Tomatoes	14 days

A person may only enter the indoor treated area if personal protective equipment including respiratory protection is worn as if they were applying the substance, and they are entering to carry out tasks associated with the ventilation of the building or building structure.

It is an offence to use this product off-label.

RESISTANCE WEED WARNING

GROUP 1 INSECTICIDE

Resistance to this product may develop from excessive use. To minimise this risk use strictly in accordance with label instructions and resistance management strategies that exist for any insect pest listed on the label. Avoid using this insecticide exclusively all season and avoid unnecessary spraying. Maintain good cultural control practices. Consult <http://resistance.nzps.org> for alternative modes of action and details of resistance management strategies (if any) for the pests listed on the label.

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING.

IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No. P10244

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSN0 Act 1996, HSR101016

See www.epa.govt.nz for approval controls.

24 HOUR
EMERGENCY CONTACT
CALL 0800 243 622

NATIONAL POISONS CENTRE
**CALL 0800 POISON
(0800 764 766)**

IN A TRANSPORT EMERGENCY
CALL 111
POLICE OR FIRE BRIGADE

AgSta

Registrant: **AgStar New Zealand Pty Ltd**

4 Putakitaki Street, Lincoln, 7608

Distributed by: **Farmlands Co-operative Society Limited**

535 Wairakei Road, Burnside, Christchurch 8053

TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz