

W140mm x H140mm 正面标贴
Spidy 500 5L



DANGER
KEEP OUT OF REACH OF CHILDREN
ECOTOXIC

AgSta 

Spidy 500

FUNGICIDE

ACTIVE INGREDIENT

500 g/L spiroxamine

in the form of an emulsifiable concentrate.

A systemic fungicide for the control of powdery mildew in grapes, barley and wheat.

Net contents: 5 L



9 421038 711590 >



AGRECOVERY

W140mm x H140mm 背面复合标签首页

Spidy 500 SL

C 0	F 0	C 59	C 63
H 0	M 99	X 0	X 0
X 0	Y 85	Y 100	Y 5
K 100	K 0	K 0	K 0

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING.

HAZARD CLASSIFICATIONS

Acute toxicity oral Category 4, Acute toxicity dermal Category 4, Acute toxicity inhalation Category 4, Skin irritation Category 2, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated) Category 1, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



TOXICITY

DANGER: Causes damage to organs from repeated or prolonged exposure. Harmful if swallowed, inhaled or absorbed through the skin. May cause an allergic skin reaction. Causes skin irritation and serious eye irritation

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects, Toxic to terrestrial vertebrates and terrestrial invertebrates.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

Do not apply substance to plants if-

(i) bees are foraging; or

(ii) the plants are in flower or part flower, and are likely to be visited by non-target invertebrate pollinators (including bees).

PRECAUTIONS

Read label before use.

PERSONAL PROTECTION

Avoid contact with skin, eyes and inhalation of spray mist. When handling, wear eye protection, waterproof gloves, boots and overalls. Use only outdoors or in well-ventilated area. Do not eat, drink or smoke when using this product. Remove protective clothing and wash hands and face thoroughly before rest breaks, meals and after work. Contaminated clothing should not be allowed out of the workplace. Clean protective clothing and equipment daily after work.

QUALIFIED HANDLER: Spidy 500 must be under the control of a suitably qualified handler when mixed, loaded and applied.

RECORD KEEPING: If 3 kg or more of Spidy 500 is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

TRANSPORT

Do not carry this product on a passenger service vehicle unless the package does not exceed 1 L pack size.

STORAGE

Store in the original container in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Avoid storage at temperatures below 5°C and above 35°C. Storage must be in accordance with the current version of NZS 8409 Management of Agricultural Chemicals. Stores containing more than 100 L require secondary containment, and an emergency response plan and signage.

DISPOSAL

Avoid contamination of any water supply with chemical or empty container.

Product disposal: Dispose of product only by using according to the label or at an appropriate landfill.

Container disposal: Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through an agricultural recycling service if available. Otherwise crush and bury empty container in suitable landfill. Do NOT use the container for any other purpose.

SPILLAGE

Collect spillage. Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste container. Wash area with water and absorb with further inert material. Dispose of waste safely in a suitable landfill.

FIRST AID

If medical advice is needed have product container or label at hand. For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor.

If exposure or concerned, or feel unwell, call a Poison Centre or doctor. If swallowed, do NOT induce vomiting. Rinse mouth. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If skin contact occurs, remove contaminated clothing and wash skin with plenty of soap and water. If irritation or rash occurs, get medical advice. Wash contaminated clothing before re-use. If in eyes, wash out immediately with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet available from the supplier, www.agstar.co.nz.

In a transport emergency call 111, Police or Fire Brigade.

RESISTANCE MANAGEMENT

GROUP	5	FUNGICIDE
-------	---	-----------

Spidy 500 contains the Group 5 Fungicide spiroxamine (morpholines). Resistance to this fungicide could develop from excessive use. To minimize this risk use strictly in accordance with the label instructions and resistance management strategies that exist for any fungal species listed on this label. Do not use another product containing a fungicide in the same group in conjunction with Spidy 500. For further information see www.resistance.nzpps.org.

• DO NOT apply more than two applications per season on **Grapes**.

• DO NOT apply more than two applications per season on **Cereals**.

HSNO Controls: The maximum application rate is 300 g spiroxamine/ha with a maximum of two treatments per year (season) and a minimum spray interval of 10 days between treatments. OR a maximum application rate of 600 g spiroxamine/ha with a maximum of two treatments per year and a minimum of 28 days between treatments.

CONDITIONS OF SALE

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No.P10327

See www.foodsafety.govt.nz for registration conditions.

Approved under the HSN0 Act 1996, HSR101019

See www.epa.govt.nz for approval controls.

24 HOUR EMERGENCY CONTACT CALL 0800 243 622
NATIONAL POISONS CENTRE CALL 0800 POISON (0800 764 766)
IN A TRANSPORT EMERGENCY CALL 111 POLICE OR FIRE BRIGADE

AgSta

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz

PEEL
HERE

READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING.

HAZARD CLASSIFICATIONS

Acute toxicity oral Category 4, Acute toxicity dermal Category 4, Acute toxicity inhalation Category 4, Skin irritation Category 2, Eye irritation Category 2, Skin sensitisation Category 1, Specific target organ toxicity (repeated) Category 1, Hazardous to terrestrial vertebrates, Hazardous to terrestrial invertebrates, Hazardous to the aquatic environment (acute) Category 1, Hazardous to the aquatic environment (chronic) Category 1.



TOXICITY

DANGER: Causes damage to organs from repeated or prolonged exposure. Harmful if swallowed, inhaled or absorbed through the skin. May cause an allergic skin reaction. Causes skin irritation and serious eye irritation.

ECOTOXICITY

Very toxic to aquatic life and with long-lasting effects. Toxic to terrestrial vertebrates and terrestrial invertebrates.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

Do not apply substance to plants if-

- (i) bees are foraging; or
- (ii) the plants are in flower or part flower, and are likely to be visited by non-target invertebrate pollinators (including bees).

PRECAUTIONS

Read label before use.

PERSONAL PROTECTION

Avoid contact with skin, eyes and inhalation of spray mist. When handling, wear eye protection, waterproof gloves, boots and overalls. Use only outdoors or in well-ventilated area. Do not eat, drink or smoke when using this product. Remove protective clothing and wash hands and face thoroughly before rest breaks, meals and after work. Contaminated clothing should not be allowed out of the workplace. Clean protective clothing and equipment daily after work.

QUALIFIED HANDLER: Spidy 500 must be under the control of a suitably qualified handler when mixed, loaded and applied.

RECORD KEEPING: If 3 kg or more of Spidy 500 is applied within 24 hours, in a place where the substance is likely to enter the air or water and leave the application area, written records must be kept.

TRANSPORT

Do not carry this product on a passenger service vehicle unless the package does not exceed 1 L pack size.

STORAGE

Store in the original container in a locked, dry, cool area away from foodstuffs, fertilisers and seeds. Avoid storage at temperatures below 5°C and above 35°C Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals. Stores containing more than 100 L require secondary containment, and an emergency response plan and signage.

DISPOSAL

Avoid contamination of any water supply with chemical or empty container.

Product disposal: Dispose of product only by using according to the label or at an appropriate landfill.

Container disposal: Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through an agricultural recycling service if available. Otherwise crush and bury empty container in suitable landfill. Do NOT use the container for any other purpose.

SPILLAGE

Collect spillage. Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent material from entering waterways. Contain liquid spills and absorb with inert material and place in waste container. Wash area with water and absorb with further inert material. Dispose of waste safely in a suitable landfill.

FIRST AID

If medical advice is needed have product container or label at hand. For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor.

If exposure or concerned, or feel unwell, call a Poison Centre or doctor. If swallowed, do NOT induce vomiting. Rinse mouth. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If skin contact occurs, remove contaminated clothing and wash skin with plenty of soap and water. If irritation or rash occurs, get medical advice. Wash contaminated clothing before re-use. If in eyes, wash out immediately with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

SAFETY DATA SHEET

Additional information is provided in the safety data sheet available from the supplier, www.agstar.co.nz.

In a transport emergency call 111, Police or Fire Brigade.

RESISTANCE MANAGEMENT

GROUP 5 FUNGICIDE

Spidy 500 contains the Group 5 Fungicide spiroxamine (morpholines). Resistance to this fungicide could develop from excessive use. To minimize this risk use strictly in accordance with the label instructions and resistance management strategies that exist for any fungal species listed on this label. Do not use another product containing a fungicide in the same group in conjunction with Spidy 500. For further information see www.resistance.nzpps.org.

- DO NOT apply more than two applications per season on Grapes.
- DO NOT apply more than two applications per season on Cereals.

HSNO Controls: The maximum application rate is 300 g spiroxamine/ha with a maximum of two treatments per year (season) and a minimum spray interval of 10 days between treatments, OR a maximum application rate of 600 g spiroxamine/ha with a maximum of two treatments per year and a minimum of 28 days between treatments.

CONDITIONS OF SALE

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.

This formulation is warranted to contain the specified active ingredient within accepted analytical tolerance when packed. The user bears the risk for damage resulting from factors beyond the manufacturer or registrants' control. The manufacturer and registrant decline all liability for damage resulting from improper storage or use of the product.

Registered pursuant to the ACVM Act 1997, No.P10327

See www.foodsaftey.govt.nz for registration conditions.

Approved under the HSNO Act 1996,HSR101019

See www.epa.govt.nz for approval controls.



AgSta

Registrant: AgStar New Zealand Pty Ltd
4 Putakitaki Street, Lincoln, 7608

Distributed by: Farmlands Co-operative Society Limited
535 Wairakei Road, Burnside, Christchurch 8053
TEL: 0800 200 600

Batch No.

Date of Manufacture.

For more information, find us at www.agstar.co.nz